# antibodies - online.com







## anti-UBAP1 antibody (AA 401-502)



( )	1/0	r\ /1	014	
( )	ve	I V I	-v	V

Quantity:	100 μL
Target:	UBAP1
Binding Specificity:	AA 401-502
Reactivity:	Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This UBAP1 antibody is un-conjugated
Application:	Western Blotting (WB), ELISA, Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p)), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro))

#### **Product Details**

Immunogen:	KLH conjugated synthetic peptide derived from human UBAP1
Isotype:	IgG
Cross-Reactivity:	Mouse
Predicted Reactivity:	Human,Rat,Dog,Cow,Pig,Horse,Chicken
Purification:	Purified by Protein A.

#### **Target Details**

### Target Details

Alternative Name:	UBAP1 (UBAP1 Products)		
Background:	Synonyms: MGC8710, NAG20, Nasopharyngeal carcinoma associated gene 20 protein, UAP,		
	UBAP, Ubiquitin associated protein 1, UBAP1_HUMAN.		
	Background: This gene is a member of the UBA domain family, whose members include		
	proteins having connections to ubiquitin and the ubiquitination pathway. The ubiquitin		
	associated domain is thought to be a non-covalent ubiquitin binding domain consisting of a compact three helix bundle. This particular protein originates from a gene locus in a refined		
	region on chromosome 9 undergoing loss of heterozygosity in nasopharyngeal carcinoma		
	(NPC). Taking into account its cytogenetic location, this UBA domain family member is being		
	studied as a putative target for mutation in nasopharyngeal carcinomas. Multiple alternatively		
	spliced transcript variants encoding different isoforms have been found for this gene.		
Gene ID:	51271		
Application Details			
Application Notes:	WB 1:300-5000		
	ELISA 1:500-1000		
	IHC-P 1:200-400		
	IHC-F 1:100-500		
	IF(IHC-P) 1:50-200		
	IF(IHC-F) 1:50-200		
	IF(ICC) 1:50-200		
Restrictions:	For Research Use only		
Handling			
Format:	Liquid		
Concentration:	1 μg/μL		
Buffer:	0.01M TBS( pH 7.4) with 1 % BSA, 0.02 % Proclin300 and 50 % Glycerol.		
Preservative:	ProClin		
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.		
Storage:	4 °C,-20 °C		
Storage Comment:	Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.		

		1.	
$\vdash$	land	lın	
	ıaııu	1111	U

Expiry Date:

12 months