# antibodies -online.com





## anti-WDR16 antibody (AA 401-500) (Cy5.5)



_							
0	V	е	r١	/	е	٧	V

Quantity:	100 μL	
Target:	WDR16	
Binding Specificity:	AA 401-500	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This WDR16 antibody is conjugated to Cy5.5	
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))	

#### **Product Details**

Immunogen:	KLH conjugated synthetic peptide derived from human WDR16
Isotype:	IgG
Cross-Reactivity:	Human
Predicted Reactivity:	Mouse,Rat,Dog,Cow,Pig,Horse
Purification:	Purified by Protein A.

### **Target Details**

Target:	WDR16
Alternative Name:	WDR16 (WDR16 Products)

#### **Target Details**

Expiry Date:

12 months

rarget Details		
Background:	Synonyms: WDR16, WDRPUH, WD repeat-containing protein 16, WD40-repeat protein upregulated in HCC	
	Background: WD repeat containing proteins, such as WDR16, play crucial roles in a wide range	
	of physiologic functions, including signal transduction, RNA processing, remodeling the	
	cytoskeleton, regulation of vesicular traffic, and cell division.	
Gene ID:	146845	
UniProt:	Q8N1V2	
Application Details		
Application Notes:	IF(IHC-P) 1:50-200	
	IF(IHC-F) 1:50-200	
	IF(ICC) 1:50-200	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 μg/μL	
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and	
	50 % Glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be	
	handled by trained staff only.	
Storage:	-20 °C	
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.	