# antibodies -online.com





# anti-LRRC15 antibody (AA 251-350)



| ( ) | 1 / | $\sim$   | KI / | 110 | Νę    |
|-----|-----|----------|------|-----|-------|
|     | 1// | $\vdash$ | I \/ | 1 ← | ٠// ٢ |
|     |     |          |      |     |       |

| Quantity:            | 100 μL   |
|----------------------|--|
| Target:              | LRRC15   |
| Binding Specificity: | AA 251-350   |
| Reactivity:          | Mouse  |
| Host:                | Rabbit   |
| Clonality:           | Polyclonal   |
| Conjugate:           | This LRRC15 antibody is un-conjugated  |
| Application:         | ELISA, Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunocytochemistry (ICC) |

#### **Product Details**

| Immunogen:            | KLH conjugated synthetic peptide derived from human LRRC15 |
|-----------------------|--|
| Isotype:              | IgG  |
| Cross-Reactivity:     | Mouse  |
| Predicted Reactivity: | Human,Rat,Dog,Cow,Sheep,Pig,Horse,Rabbit                   |
| Purification:         | Purified by Protein A.                                     |

### **Target Details**

| Target:           | LRRC15                   |
|-------------------|--------------------------|
| Alternative Name: | LRRC15 (LRRC15 Products) |

#### **Target Details**

| rarget Details      |  |
|---------------------|--|
| Background:         | Synonyms: Leucine-rich repeat-containing protein 15, LIB, LRC15_HUMAN.                         |
|                     | Background: LRRC15 may contribute to regulation of cell-matrix adhesion interactions with      |
|                     | respect to astrocyte recruitment around senile plaques in Alzheimer's disease brain. LRRC15 is |
|                     | induced by EWS-WT1(+KTS) in the tumor DSRCT and may play a role in cellular invasion.          |
| Gene ID:            | 131578   |
|                     |  |
| Application Details |  |
| Application Notes:  | WB 1:300-5000  |

| Application Notes: | WB 1:300-5000      |
|--------------------|--------------------|
|                    | ELISA 1:500-1000   |
|                    | IHC-P 1:200-400    |
|                    | IHC-F 1:100-500    |
|                    | IF(IHC-P) 1:50-200 |
|                    | IF(IHC-F) 1:50-200 |
|                    | IF(ICC) 1:50-200   |
|                    | ICC 1:100-500      |
|                    |                    |

Restrictions: For Research Use only

## Handling

| Format:            | Liquid   |
|--------------------|--|
| Concentration:     | 1 μg/μL  |
| Buffer:            | 0.01M TBS( pH 7.4) with 1 % BSA, 0.02 % Proclin300 and 50 % Glycerol.  |
| Preservative:      | ProClin  |
| Precaution of Use: | This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only. |
| Storage:           | 4 °C,-20 °C  |
| Storage Comment:   | Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.                                    |
| Expiry Date:       | 12 months  |