antibodies -online.com





anti-RPSA/Laminin Receptor antibody



Image



Go to Product page

_					
U	V	er	V	Ie	W

Quantity:	200 μL
Target:	RPSA/Laminin Receptor (RPSA)
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This RPSA/Laminin Receptor antibody is un-conjugated
Application:	Western Blotting (WB), ELISA

Product Details

Immunogen:	Recombinant protein of human RPSA
Isotype:	IgG
Characteristics:	Polyclonal Antibody
Purification:	Affinity purification

Target Details

Target:	RPSA/Laminin Receptor (RPSA)
Alternative Name:	RPSA (RPSA Products)
Background:	Laminins, a family of extracellular matrix glycoproteins, are the major noncollagenous
	constituent of basement membranes. They have been implicated in a wide variety of biological
	processes including cell adhesion, differentiation, migration, signaling, neurite outgrowth and
	metastasis. Many of the effects of laminin are mediated through interactions with cell surface

receptors. These receptors include members of the integrin family, as well as non-integrin laminin-binding proteins. This gene encodes a high-affinity, non-integrin family, laminin receptor 1. This receptor has been variously called 67 kD laminin receptor, 37 kD laminin receptor precursor (37LRP) and p40 ribosome-associated protein. The amino acid sequence of laminin receptor 1 is highly conserved through evolution, suggesting a key biological function. It has been observed that the level of the laminin receptor transcript is higher in colon carcinoma tissue and lung cancer cell line than their normal counterparts. Also, there is a correlation between the upregulation of this polypeptide in cancer cells and their invasive and metastatic phenotype. Multiple copies of this gene exist, however, most of them are pseudogenes thought to have arisen from retropositional events. Two alternatively spliced transcript variants encoding the same protein have been found for this gene

Molecular Weight:

33 kDa

UniProt:

P08865

Pathways:

Ribonucleoprotein Complex Subunit Organization, Ribosome Assembly

Application Details

Application Notes:


WB 1:500-1:2000

Restrictions:

For Research Use only

Handling

Format:	Liquid
Concentration:	0.3 mg/mL
Buffer:	PBS with 0.05 % sodium azide and 50 % glycerol, PH7.4
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Avoid freeze / thaw cycles.



Western Blotting

Image 1. Western Blot analysis of A549, NIH/3T3 and 293T cell, Human hepatocellular carcinoma tissue and hela cell using RPSA Polyclonal Antibody at dilution of 1:425