
antibodies - online.com







anti-USP2 antibody

Images



Overview

Quantity:	200 μL
Target:	USP2
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Application:	ELISA, Immunohistochemistry (IHC)

Product Details

Immunogen:	Recombinant protein of human USP2
Isotype:	IgG
Characteristics:	Polyclonal Antibody
Purification:	Affinity purification

Target Details

Target:	USP2
Alternative Name:	USP2 (USP2 Products)
Background:	This gene encodes a member of the family of de-ubiquitinating enzymes, which belongs to the
	peptidase C19 superfamily. The encoded protein is a ubiquitin-specific protease which is required for TNF-alpha (tumor necrosis factor alpha) -induced NF-kB (nuclear factor kB)
	signaling. This protein deubiquitinates polyubiquitinated target proteins such as fatty acid
	synthase, murine double minute 2 (MDM2), MDM4/MDMX and cyclin D1. MDM2 and MDM4 are

Target Details

negative regulators of the p53 tumor suppressor and cyclin D1 is required for cell cycle G1/S
transition. Multiple alternatively spliced transcript variants encoding different isoforms have
been identified.

UniProt:

075604


Application Details

Application Notes:	IHC 1:50-1:200
Restrictions:	For Research Use only

Handling


Format:	Liquid
Concentration:	0.3 mg/mL
Buffer:	PBS with 0.05 % sodium azide and 50 % glycerol, PH7.4
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Avoid freeze / thaw cycles.

Images



Immunohistochemistry (Paraffin-embedded Sections)

Image 1. Immunohistochemistry of paraffin-embedded Human cervical cancer tissue using USP2 Polyclonal Antibody at dilution 1:40



Immunohistochemistry (Paraffin-embedded Sections)

Image 2. Immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using USP2 Polyclonal Antibody at dilution 1:40