# antibodies -online.com







## anti-FAAH2 antibody





/ //	10	K / /	OIA.
1 11	$/ \square$	1 \/	$\square \backslash \backslash \backslash \backslash$
$\cup$	$^{\prime}$	1 V I	iew

Quantity:	200 μL
Target:	FAAH2
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This FAAH2 antibody is un-conjugated
Application:	Immunohistochemistry (IHC), ELISA

#### **Product Details**

Immunogen:	Recombinant protein of human FAAH2	
Isotype:	IgG	
Characteristics:	Polyclonal Antibody	
Purification:	Affinity purification	

## **Target Details**

Target:	FAAH2	
Alternative Name:	FAAH2 (FAAH2 Products)	
Background:	This gene encodes a fatty acid amide hydrolase that shares a conserved protein motif with the amidase signature family of enzymes. The encoded enzyme is able to catalyze the hydrolysis of a broad range of bioactive lipids, including those from the three main classes of fatty acid	
	amides, N-acylethanolamines, fatty acid primary amides and N-acyl amino acids. This enzyme	

## **Target Details**

	has a preference for monounsaturated acyl chains as a substrate.
UniProt:	Q6GMR7


## Application Details

Application Notes:	IHC 1:50-1:200
Restrictions:	For Research Use only

## Handling


Format:	Liquid	
Concentration:	0.6 mg/mL	
Buffer:	PBS with 0.05 % sodium azide and 50 % glycerol, PH7.4	
Preservative:	Sodium azide	
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.	
Storage:	-20 °C	
Storage Comment:	Store at -20°C. Avoid freeze / thaw cycles.	

## Images



## **Immunohistochemistry (Paraffin-embedded Sections)**

**Image 1.** Immunohistochemistry of paraffin-embedded Human colon cancer tissue using FAAH2 Polyclonal Antibody at dilution 1:30



#### Immunohistochemistry (Paraffin-embedded Sections)

**Image 2.** Immunohistochemistry of paraffin-embedded Human liver cancer tissue using FAAH2 Polyclonal Antibody at dilution 1:30