antibodies -online.com





anti-RPLP2 antibody

2 Images



Go to Product page

Overview

Quantity:	200 μL	
Target:	RPLP2	
Reactivity:	Human, Mouse, Rat	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This RPLP2 antibody is un-conjugated	
Application:	ELISA, Immunohistochemistry (IHC), Western Blotting (WB)	

Product Details

Immunogen:	Recombinant protein of human RPLP2	
Isotype:	IgG	
Characteristics:	Polyclonal Antibody	
Purification:	Affinity purification	

Target Details

Alternative Name: RPLP2 (RPLP2)	Products)	
7.11.01.10.11.01.10.11.01.0	RPLP2 (RPLP2 Products)	
large 60S subur 80 structurally o	organelles that catalyze protein synthesis, consist of a small 40S subunit and a nit. Together these subunits are composed of 4 RNA species and approximately distinct proteins. This gene encodes a ribosomal phosphoprotein that is a he 60S subunit. The protein, which is a functional equivalent of the E. coli	

Target Details

	L7/L12 ribosomal protein, belongs to the L12P family of ribosomal proteins. It plays an	
	important role in the elongation step of protein synthesis. Unlike most ribosomal proteins,	
	which are basic, the encoded protein is acidic.	
Molecular Weight:	12 kDa	
UniProt:	P05387	

Application Details

Concentration:

Application Notes:	WB 1:1000-1:5000, IHC 1:25-1:100
Restrictions:	For Research Use only
Handling	
Format:	Liquid

Buffer:	PBS with 0.05 % sodium azide and 50 % glycerol, PH7.4 $$

0.5 mg/mL


Preservative:	Sodium azide

Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which
	should be handled by trained staff only.

Storage:	-20 °C


Storage Comment. Store at 20 C. Avoid meeze / thaw cycles.	Storage Comment:	Store at -20°C. Avoid freeze / thaw cycles.
--	------------------	---

Images



Immunohistochemistry (Paraffin-embedded Sections)

Image 1. Immunohistochemistry of paraffin-embedded Human lung cancer using RPLP2 Polyclonal Antibody at dilution of 1:35



Western Blotting

Image 2. Western Blot analysis of Raji, K562, A549, hepg2, PC3 and hela cell using RPLP2 Polyclonal Antibody at dilution of 1:800