# antibodies -online.com





# anti-NCR1 antibody





Go to Product page

$\sim$						
	1//	Д	r۱	1	<b>Θ</b> 1	٨

Quantity:	200 μL
Target:	NCR1
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This NCR1 antibody is un-conjugated
Application:	ELISA, Immunohistochemistry (IHC)

# Product Details

Immunogen:	Synthetic peptide of human NCR1
Isotype:	IgG
Characteristics:	Polyclonal Antibody
Purification:	Affinity purification

# **Target Details**

Target:	NCR1
Alternative Name:	NCR1 (NCR1 Products)
Background:	Natural cytotoxicity triggering receptor 1 is aproteinthat in humans is encoded by the NCR1 gene.
	NCR1 has also been designated asCD335(cluster of differentiation335). Cytotoxicity-activating receptor that may contribute to the increased efficiency of activated natural killer (NK) cells to
	mediate tumor cell lysis. Interacts with CD247 and FCER1G. Selectively expressed by both

# **Target Details**

	resting and activated NK cells.
NCBI Accession:	NP_001138929
UniProt:	076036
Pathways:	Regulation of Leukocyte Mediated Immunity


# **Application Details**

Application Notes:	IHC 1:50-1:200
Restrictions:	For Research Use only

# Handling


Format:	Liquid
Concentration:	0.3 mg/mL
Buffer:	PBS with 0.05 % sodium azide and 50 % glycerol, PH7.4
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Avoid freeze / thaw cycles.

#### **Images**



#### **Immunohistochemistry (Paraffin-embedded Sections)**

**Image 1.** Immunohistochemistry of paraffin-embedded Human liver cancer tissue using NCR1 Polyclonal Antibody at dilution 1:30



#### Immunohistochemistry (Paraffin-embedded Sections)

**Image 2.** Immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using NCR1 Polyclonal Antibody at dilution 1:30