antibodies .- online.com





anti-IFT74 antibody





Go to Product page

_						
()	V	ρ	rv	16	$\supset I$	Λ

Quantity:	200 μL
Target:	IFT74
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This IFT74 antibody is un-conjugated
Application:	Western Blotting (WB), ELISA

Product Details

Immunogen:	Synthetic peptide of human IFT74
Isotype:	IgG
Characteristics:	Polyclonal Antibody
Purification:	Affinity purification

Target Details

Target:	IFT74
Alternative Name:	IFT74 (IFT74 Products)
Background:	Capillary morphogenesis protein 1 (CMG1), also known as intraflagellar transport protein 74 (ITP74) or coiled-coil domain-containing protein 2 (CCDC2), is a 600 amino acid human homologue of IFT-71, a complex B protein supporting intraflagellar transport (IFT) in Chlamydomonas. CMG1 localizes to the cytoplasmic vesicle and is highly expressed in adult

Target Details

and fetal kidney and testis, with lower levels of expression in adult heart, placenta, lung, liver	-
and pancreas, and in fetal heart, lung and liver. CMG1 has been suggested to have a role in	the
primary cilia of HUVEC, and it also functions as a transcriptional regulator of cyclin D2 in	
spermatocyte-derived cells.	

Molecular Weight:	69 kDa
NCBI Accession:	NP_001092692
UniProt:	Q96LB3


Pathways: Hedgehog Signaling, Chromatin Binding

Application Details

Application Notes:	WB 1:500-1:2000
Restrictions:	For Research Use only

Handling

Format:	Liquid
Concentration:	0.1 mg/mL
Buffer:	PBS with 0.05 % sodium azide and 50 % glycerol, PH7.4
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Avoid freeze / thaw cycles.



Western Blotting

Image 1. Western Blot analysis of HepG2 and 293T cell using IFT74 Polyclonal Antibody at dilution of 1:1400