antibodies .- online.com





anti-DAAM1 antibody





Go to Product page

\sim						
	1//	Д	r۱	1	Θ 1	٨

Quantity:	200 μL
Target:	DAAM1
Reactivity:	Human, Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This DAAM1 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), ELISA

Product Details

Immunogen:	Synthetic peptide of human DAAM1
Isotype:	IgG
Characteristics:	Polyclonal Antibody
Purification:	Affinity purification

Target Details

Target:	DAAM1
Alternative Name:	DAAM1 (DAAM1 Products)
Background:	Cell motility, adhesion, cytokinesis, and other functions of the cell cortex are mediated by reorganization of the actin cytoskeleton and several formin homology (FH) proteins have been
	associated with these processes. The protein encoded by this gene contains two FH domains
	and belongs to a novel FH protein subfamily implicated in cell polarity. A key regulator of

Target Details

Molecular Weight:

NCBI Accession:

	cytoskeletal architecture, the small GTPase Rho, is activated during development by Wnt/Fz signaling to control cell polarity and movement. The protein encoded by this gene is thought to
	function as a scaffolding protein for the Wnt-induced assembly of a disheveled (Dvl)-Rho complex.
:	123 kDa
	NP_001257449

UniProt: Q9Y4D1


Pathways: WNT Signaling

Application Details

Application Notes:	WB 1:200-1:1000, IHC 1:50-1:200	
Restrictions:	For Research Use only	


Handling

Format:	Liquid
Concentration:	1.2 mg/mL
Buffer:	PBS with 0.05 % sodium azide and 50 % glycerol, PH7.4
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Avoid freeze / thaw cycles.




Immunohistochemistry (Paraffin-embedded Sections)

Image 1. Immunohistochemistry of paraffin-embedded Human cervical cancer using DAAM1 Polyclonal Antibody at dilution of 1:50



Western Blotting

Image 2. Western Blot analysis of Human testis tissue using DAAM1 Polyclonal Antibody at dilution of 1:400



Immunohistochemistry (Paraffin-embedded Sections)

Image 3. Immunohistochemistry of paraffin-embedded Human brain using DAAM1 Polyclonal Antibody at dilution of 1:50