# antibodies -online.com





# anti-TRIP4 antibody

3 Images



Go to Product page

#### Overview

Quantity:	200 μL
Target:	TRIP4
Reactivity:	Human, Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This TRIP4 antibody is un-conjugated
Application:	Western Blotting (WB), ELISA, Immunohistochemistry (IHC)

# Product Details

lmmunogen:	Recombinant protein of human TRIP4
Isotype:	IgG
Characteristics:	Polyclonal Antibody
Purification:	Affinity purification

# **Target Details**

4
4 (TRIP4 Products)
rating signal co-integrator-1 (ASC-1), originally identified as TRIP4, is a transcriptional co-
ator of nuclear receptors that associates with specific components of the RNA polymerase
mplex and binds the basal transcription factors TBP and TFIIA. ASC-1 functions with the
scription integrators SRC-1 and CBP/p300 through its zinc finger motif and is dependent on
/ r

#### **Target Details**

	their ligand-dependent transactivation domain, AF2. Endogenous ASC-1 in HeLa cells is
	predominantly a nuclear protein. Under conditions of serum starvation, ASC-1 localizes to the
	cytoplasm.
Molecular Weight:	66 kDa
UniProt:	Q15650


#### **Application Details**

Application Notes:	WB 1:500-1:2000, IHC 1:25-1:100
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	0.6 mg/mL
Buffer:	PBS with 0.05 % sodium azide and 50 % glycerol, PH7.4
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C

Store at -20°C. Avoid freeze / thaw cycles.


#### **Images**

Storage Comment:




### **Immunohistochemistry (Paraffin-embedded Sections)**

**Image 1.** Immunohistochemistry of paraffin-embedded Human liver cancer using TRIP4 Polyclonal Antibody at dilution of 1:50



#### **Western Blotting**

**Image 2.** Western Blot analysis of A431 cell using TRIP4 Polyclonal Antibody at dilution of 1:400



#### **Immunohistochemistry (Paraffin-embedded Sections)**

**Image 3.** Immunohistochemistry of paraffin-embedded Human gastric cancer using TRIP4 Polyclonal Antibody at dilution of 1:50