

Datasheet for ABIN7242827 anti-ALDH1A2 antibody





Go to Product page

\sim			
()\	/ e	rVI	iew

Quantity:	200 μL
Target:	ALDH1A2
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This ALDH1A2 antibody is un-conjugated
Application:	Western Blotting (WB), ELISA, Immunohistochemistry (IHC)

Product Details

Immunogen:	Synthetic peptide of human ALDH1A2
Isotype:	IgG
Characteristics:	Polyclonal Antibody
Purification:	Affinity purification

Target Details

Target:	ALDH1A2	
Alternative Name:	ALDH1A2 (ALDH1A2 Products)	
Background:	This protein belongs to the aldehyde dehydrogenase family of proteins. The product of this	
	gene is an enzyme that catalyzes the synthesis of retinoic acid (RA) from retinaldehyde.	
	Retinoic acid, the active derivative of vitamin A (retinol), is a hormonal signaling molecule that	
	functions in developing and adult tissues. The studies of a similar mouse gene suggest that	

Target Details


	this enzyme and the cytochrome CYP26A1, concurrently establish local embryonic retinoic acid levels which facilitate posterior organ development and prevent spina bifida. Four transcript variants encoding distinct isoforms have been identified for this gene.
Molecular Weight:	57 kDa
NCBI Accession:	NP_001193826
UniProt:	094788
Pathways:	Retinoic Acid Receptor Signaling Pathway

Application Details

Application Notes:	WB 1:500-1:2000, IHC 1:25-1:100
Restrictions:	For Research Use only


Handling

Format:	Liquid
Concentration:	0.6 mg/mL
Buffer:	PBS with 0.05 % sodium azide and 50 % glycerol, PH7.4
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Avoid freeze / thaw cycles.




Immunohistochemistry (Paraffin-embedded Sections)

Image 1. Immunohistochemistry of paraffin-embedded Human ovarian cancer using ALDH1A2 Polyclonal Antibody at dilution of 1:60



Western Blotting

Image 2. Western Blot analysis of K562 cell using ALDH1A2 Polyclonal Antibody at dilution of 1:400



Immunohistochemistry (Paraffin-embedded Sections)

Image 3. Immunohistochemistry of paraffin-embedded Human colon cancer using ALDH1A2 Polyclonal Antibody at dilution of 1:60