# antibodies -online.com





# anti-KCNJ6 antibody

2 Images



Go to Product page

### Overview

Quantity:	200 μL
Target:	KCNJ6
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This KCNJ6 antibody is un-conjugated
Application:	ELISA, Immunohistochemistry (IHC)

### **Product Details**

Immunogen:	Synthetic peptide of human KCNJ6
Isotype:	IgG
Characteristics:	Polyclonal Antibody
Purification:	Affinity purification

# **Target Details**

Target:	KCNJ6
Alternative Name:	KCNJ6 (KCNJ6 Products)
Background:	Potassium channels are present in most mammalian cells, where they participate in a wide
	range of physiologic responses. The protein encoded by this gene is an integral membrane
	protein and inward-rectifier type potassium channel. The encoded protein, which has a greater
	tendency to allow potassium to flow into a cell rather than out of a cell, is controlled by G-

# **Target Details**


	proteins and may be involved in the regulation of insulin secretion by glucose. It associates with two other G-protein-activated potassium channels to form a heteromultimeric pore-forming complex.
Molecular Weight:	48 kDa
NCBI Accession:	NP_002231
UniProt:	P48051

# **Application Details**

Application Notes:	WB 1:500-1:2000, IHC 1:50-1:200
Restrictions:	For Research Use only


# Handling

Format:	Liquid
Concentration:	0.9 mg/mL
Buffer:	PBS with 0.05 % sodium azide and 50 % glycerol, PH7.4
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Avoid freeze / thaw cycles.



## **Immunohistochemistry (Paraffin-embedded Sections)**

**Image 1.** Immunohistochemistry of paraffin-embedded Human brain tissue using KCNJ6 Polyclonal Antibody at dilution 1:40



## **Immunohistochemistry (Paraffin-embedded Sections)**

**Image 2.** Immunohistochemistry of paraffin-embedded Human gasrtic cancer tissue using KCNJ6 Polyclonal Antibody at dilution 1:40