antibodies -online.com





anti-HLA-DRB3 antibody



Image



Go to Product page

Overview

Quantity:	200 μL
Target:	HLA-DRB3
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This HLA-DRB3 antibody is un-conjugated
Application:	ELISA, Immunohistochemistry (IHC)

Product Details

Immunogen:	Synthetic peptide of human HLA-DRB3
Isotype:	lgG
Characteristics:	Polyclonal Antibody
Purification:	Antigen affinity purification

Target Details

Target:	HLA-DRB3
Alternative Name:	HLA-DRB3 (HLA-DRB3 Products)
Background:	HLA-DRB3 belongs to the HLA class II beta chain paralogues. This class II molecule is a heterodimer consisting of an alpha (DRA) and a beta (DRB) chain, both anchored in the
	membrane. It plays a central role in the immune system by presenting peptides derived from
	extracellular proteins. Class II molecules are expressed in antigen presenting cells (APC: B

lymphocytes, dendritic cells, macrophages). The beta chain is approximately 26-28 kDa and its gene contains 6 exons. Exon one encodes the leader peptide, exons 2 and 3 encode the two extracellular domains, exon 4 encodes the transmembrane domain and exon 5 encodes the cytoplasmic tail. Within the DR molecule the beta chain contains all the polymorphisms specifying the peptide binding specificities. Typing for these polymorphisms is routinely done for bone marrow and kidney transplantation. DRB1 is expressed at a level five times higher than its paralogues DRB3, DRB4 and DRB5. The presence of DRB3 is linked with allelic variants of DRB1, otherwise it is omitted. There are 4 related pseudogenes: DRB2, DRB6, DRB7, DRB8 and DRB9.

UniProt:

P79483

Pathways:

TCR Signaling, Positive Regulation of Peptide Hormone Secretion, Production of Molecular Mediator of Immune Response, Cancer Immune Checkpoints, Human Leukocyte Antigen (HLA) in Adaptive Immune Response


Application Details

Application Notes: IHC 1:20-1:100, ELISA 1:5000-1:10000

Restrictions: For Research Use only

Handling

Format:	Liquid
Concentration:	1.44 mg/mL
Buffer:	PBS with 0.05 % Sodium azide and 40 % Glycerol, pH 7.4
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Avoid freeze / thaw cycles.



Immunohistochemistry (Paraffin-embedded Sections)

Image 1. Immunohistochemistry of paraffin-embedded Human cervical cancer tissue using HLA-DRB3 Polyclonal Antibody at dilution of 1:50(x200)