antibodies -online.com





anti-SNRPA1 antibody

3 Images



Go to Product page

Overview

Quantity:	200 μL
Target:	SNRPA1 (SNRPA)
Reactivity:	Human, Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This SNRPA1 antibody is un-conjugated
Application:	Western Blotting (WB), ELISA, Immunohistochemistry (IHC)

Product Details

Immunogen:	Full length fusion protein
Isotype:	IgG
Characteristics:	Polyclonal Antibody
Purification:	Antigen affinity purification

Target Details

Target:	SNRPA1 (SNRPA)
Alternative Name:	SNRPA (SNRPA Products)
Background:	The protein encoded by this gene associates with stem loop II of the U1 small nuclear
	ribonucleoprotein, which binds the 5' splice site of precursor mRNAs and is required for
	splicing. The encoded protein autoregulates itself by polyadenylation inhibition of its own pre-
	mRNA via dimerization and has been implicated in the coupling of splicing and polyadenylation.

Target Details

Molecular Weight:	Observed_MW: Refer to figures
	Calculated_MW: 31 kDa
UniProt:	P09012


Application Details

Application Notes:	WB 1:500-1:2000, IHC 1:25-1:100, ELISA 1:5000-1:10000
Restrictions:	For Research Use only

Handling


Format:	Liquid
Concentration:	0.5 mg/mL
Buffer:	PBS with 0.05 % Sodium azide and 40 % Glycerol, pH 7.4
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Avoid freeze / thaw cycles.

Images




Immunohistochemistry (Paraffin-embedded Sections)

Image 1. Immunohistochemistry of paraffin-embedded Human prost ate cancer tissue using SNRPA Polyclonal Antibody at dilution of 1:30(x200)



Western Blotting

Image 2. Western blot analysis of 293T cell Hela cell HEPG2 cell and A549 cell lysates using SNRPA Polyclonal Antibody at dilution of 1:250



Immunohistochemistry (Paraffin-embedded Sections)

Image 3. Immunohistochemistry of paraffin-embedded Human lung cancer tissue using SNRPA Polyclonal Antibody at dilution of 1:30(x200)