# antibodies -online.com









#### Overview

Quantity:	200 μL
Target:	HUS1
Reactivity:	Human, Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This HUS1 antibody is un-conjugated
Application:	ELISA, Immunohistochemistry (IHC)

# **Product Details**

Immunogen:	Fusion protein of human HUS1
Isotype:	IgG
Characteristics:	Polyclonal Antibody
Purification:	Antigen affinity purification

#### Target Details

rarget Details	
Target:	HUS1
Alternative Name:	HUS1 (HUS1 Products)
Background:	The protein encoded by this gene is a component of an evolutionarily conserved, genotoxin-activated checkpoint complex that is involved in the cell cycle arrest in response to DNA damage. This protein forms a heterotrimeric complex with checkpoint proteins RAD9 and
	RAD1. In response to DNA damage, the trimeric complex interacts with another protein

#### **Target Details**

complex consisting of checkpoint protein RAD17 and four small subunits of the replication factor C (RFC), which loads the combined complex onto the chromatin. The DNA damage induced chromatin binding has been shown to depend on the activation of the checkpoint kinase ATM, and is thought to be an early checkpoint signaling event. Alternative splicing results in multiple transcript variants.

UniProt:

060921


#### **Application Details**

Application Notes:	IHC 1:50-1:300, ELISA 1:5000-1:10000
Restrictions:	For Research Use only

### Handling


Format:	Liquid
Concentration:	1.14 mg/mL
Buffer:	PBS with 0.05 % Sodium azide and 40 % Glycerol, pH 7.4
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Avoid freeze / thaw cycles.

#### **Images**



## Immunohistochemistry (Paraffin-embedded Sections)

**Image 1.** Immunohistochemistry of paraffin-embedded Human prost ate cancer tissue using HUS1 Polyclonal Antibody at dilution of 1:65(x200)



#### Immunohistochemistry (Paraffin-embedded Sections)

**Image 2.** Immunohistochemistry of paraffin-embedded Human lung cancer tissue using HUS1 Polyclonal Antibody at dilution of 1:65(x200)