antibodies - online.com







anti-BEX2 antibody

Images



()	ve	K\ /		A .
	\cup	1 V/	Щ.	V۷

Quantity:	200 μL
Target:	BEX2
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This BEX2 antibody is un-conjugated
Application:	ELISA, Immunohistochemistry (IHC)

Product Details

Immunogen:	Fusion protein of human BEX2	
Isotype:	IgG	
Characteristics:	Polyclonal Antibody	
Purification:	Antigen affinity purification	

Target Details

l arget:	BEX2
Alternative Name:	BEX2 (BEX2 Products)
Background:	This gene belongs to the brain expressed X-linked gene family. The encoded protein interacts
	with the transcription factor LIM domain only 2 in a DNA-binding complex that recognizes the E-
	box element and promotes transcription. This gene has been found to be a tumor suppressor
	that is silenced in human glioma. In breast cancer cells, this gene product modulates apoptosis

Target Details

	in response to estrogen and tamoxifen, and enhances the anti-proliferative effect of tamoxifen.
	Multiple transcript variants encoding different isoforms have been found for this gene.
UniProt:	Q9BXY8


Application Details

Application Notes:	IHC 1:40-1:200, ELISA 1:5000-1:10000
Restrictions:	For Research Use only

Handling

Format:	Liquid
Concentration:	0.78 mg/mL
Buffer:	PBS with 0.05 % Sodium azide and 40 % Glycerol, pH 7.4
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Avoid freeze / thaw cycles.

Images



Immunohistochemistry (Paraffin-embedded Sections)

Image 1. Immunohistochemistry of paraffin-embedded Human breast cancer tissue using BEX2 Polyclonal Antibody at dilution of 1:45(x200)



Immunohistochemistry (Paraffin-embedded Sections)

Image 2. Immunohistochemistry of paraffin-embedded Human tonsil tissue using BEX2 Polyclonal Antibody at dilution of 1:45(x200)