

Datasheet for ABIN724691

anti-TGFB1 antibody (AA 351-390) (Cy7)



Go to Product page

()	V		rV	ĺ	9	V	V
'	\mathcal{I}	٧V	<u> </u>	v	1	$\overline{}$	٧	٧

Quantity:	100 μL
Target:	TGFB1
Binding Specificity:	AA 351-390
Reactivity:	Human, Mouse, Rat, Sheep, Rabbit
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This TGFB1 antibody is conjugated to Cy7
Application:	Western Blotting (WB), Flow Cytometry (FACS), Immunofluorescence (Paraffin-embedded Sections) (IF (p)), Immunofluorescence (Cultured Cells) (IF (cc))
Product Details	

Immunogen:	KLH conjugated synthetic peptide derived from human TGF-Beta 1
Isotype:	IgG
Cross-Reactivity:	Human, Mouse, Rabbit, Rat, Sheep
Predicted Reactivity:	Dog,Cow,Pig,Guinea Pig
Purification:	Purified by Protein A.

Target Details

Target:	TGFB1
Alternative Name:	TGF beta 1 (TGFB1 Products)

Target Details

Background:	Synonyms: CED, DPD1, TGFB, TGFbeta, Transforming growth factor beta-1, TGF-beta-1, TGFB1
	Background: Multifunctional protein that controls proliferation, differentiation and other
	functions in many cell types. Many cells synthesize TGFB1 and have specific receptors for it. It
	positively and negatively regulates many other growth factors. It plays an important role in bone remodeling as it is a potent stimulator of osteoblastic bone formation, causing chemotaxis,
	proliferation and differentiation in committed osteoblasts.
Gene ID:	7040
UniProt:	P01137
Pathways:	EGFR Signaling Pathway, Dopaminergic Neurogenesis, Cellular Response to Molecule of
	Bacterial Origin, Glycosaminoglycan Metabolic Process, Regulation of Leukocyte Mediated
	Immunity, Regulation of Muscle Cell Differentiation, Positive Regulation of Immune Effector
	Process, Cell-Cell Junction Organization, Production of Molecular Mediator of Immune
	Response, Ribonucleoside Biosynthetic Process, Skeletal Muscle Fiber Development,
	Regulation of Carbohydrate Metabolic Process, Protein targeting to Nucleus, Autophagy,
	Cancer Immune Checkpoints
Application Details	
Application Notes:	FCM 1:20-100
	IF(IHC-P) 1:50-200
	IF(IHC-F) 1:50-200
	IF(ICC) 1:50-200
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and
	50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be
	handled by trained staff only.
Storage:	-20 °C

Handling

Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months