antibodies -online.com







anti-SCTR antibody (AA 188-280)



Image



/ //	10	K / /	\sim	A 1
1 11	$^{\prime}$	I \/ I	-	ΛI
Ο١	$^{\prime}$	1 V I	-	/ V

Quantity:	100 μL
Target:	SCTR
Binding Specificity:	AA 188-280
Reactivity:	Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This SCTR antibody is un-conjugated
Application:	Western Blotting (WB), ELISA, Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p)), Immunohistochemistry (Paraffinembedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human of human Secretin receptor	
Isotype:	IgG	
Cross-Reactivity:	Mouse	
Predicted Reactivity:	Human,Rat,Dog,Cow,Sheep,Rabbit	
Purification:	Purified by Protein A.	
T 15 1 1		

Target Details

|--|

Target Details


Alternative Name:	Secretin receptor (SCTR Products)	
Background:	Synonyms: SR, Secretin receptor, SCT-R, SCTR Background: This is a receptor for secretin. The activity of this receptor is mediated by G proteins which activate adenylyl cyclase.	
Gene ID:	6344	
UniProt:	P47872	

Application Details

Restrictions:	For Research Use only
	IF(ICC) 1:50-200
	IF(IHC-F) 1:50-200
	IF(IHC-P) 1:50-200
	IHC-F 1:100-500
	IHC-P 1:200-400
	ELISA 1:500-1000
Application Notes:	WB 1:300-5000

Handling

Format:	Liquid
Concentration:	1 μg/μL
Buffer:	0.01M TBS(pH 7.4) with 1 % BSA, 0.02 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.
Expiry Date:	12 months



Immunohistochemistry

Image 1. Formalin-fixed and paraffin embedded mouse thyroid labeled with Anti-Secretin receptor Polyclonal Antibody, Unconjugated (ABIN724730) at 1:200 followed by conjugation to the secondary antibody and DAB staining