antibodies -online.com





anti-ZNF828 antibody

2 Images



Go to Product page

)\/(

Quantity:	200 μL
Target:	ZNF828
Reactivity:	Human, Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This ZNF828 antibody is un-conjugated
Application:	ELISA, Immunohistochemistry (IHC)

Product Details

lmmunogen:	Synthetic peptide of human CHAMP1
Isotype:	IgG
Characteristics:	Polyclonal Antibody
Purification:	Antigen affinity purification

Target Details

Target:	ZNF828
Alternative Name:	CHAMP1 (ZNF828 Products)
Background:	CHAMP1 (chromosome alignment maintaining phosphoprotein 1), also known as ZNF828 or
	C13orf8, is a 812 amino acid protein containing one C2H2-type zinc finger. CHAMP1 is required
	for the proper alignment of chromosomes during metaphase, undergoing CDK1-dependent
	phosphorylation at multiple sites during mitosis. The phosphorylation counteracts the negative

Target Details

chromosomal alignment regulation of the zinc-finger domain of CHAMP1. One region of CHAMP1, the FPE region, is responsible for spindle and kinetochore localization, which is essential for proper chromosome alignment. CHAMP1 interacts with MAD2L2, PGOZ, CBX1, CBX3 and CBX5, and may recruit CENPE and CENPF to the kinetochore. The CHAMP1 gene is located on chromosome 13 and is conserved in chimpanzee, Rhesus monkey, dog, cow, mouse, rat and chicken.

UniProt:

Q96JM3

Pathways:

Maintenance of Protein Location

Application Details

Application Notes:


IHC 1:30-1:150, ELISA 1:5000-1:10000

Restrictions:

For Research Use only


Handling

Format:	Liquid
Concentration:	0.6 mg/mL
Buffer:	PBS with 0.05 % Sodium azide and 40 % Glycerol, pH 7.4
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Avoid freeze / thaw cycles.



Immunohistochemistry (Paraffin-embedded Sections)

Image 1. Immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using CHAMP1 Polyclonal Antibody at dilution of 1:40(x200)



Immunohistochemistry (Paraffin-embedded Sections)

Image 2. Immunohistochemistry of paraffin-embedded Human colorectal cancer tissue using CHAMP1 Polyclonal Antibody at dilution of 1:40(x200)