

Datasheet for ABIN725024 anti-Abeta 1-42 antibody (AA 1-42) (HRP)



Overview

Quantity:	100 μL
Target:	Abeta 1-42
Binding Specificity:	AA 1-42
Reactivity:	Human, Rat, Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This Abeta 1-42 antibody is conjugated to HRP
Application:	Western Blotting (WB), ELISA, Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro))

Product Details

Immunogen:	KLH conjugated synthetic peptide of human beta-Amyloid(1-42)
Isotype:	IgG
Cross-Reactivity:	Human, Mouse, Rat
Predicted Reactivity:	Dog,Cow,Pig,Chicken,Rabbit
Purification:	Purified by Protein A.

Target Details

Target:	Abeta 1-42
Alternative Name:	beta Amyloid 1-42 (Abeta 1-42 Products)

Target Details

Background:	Synonyms: AAA, AD1, PN2, ABPP, APPI, CVAP, ABETA, PN-II, CTFgamma, Amyloid beta A4
	protein, APP, Alzheimer disease amyloid protein, Cerebral vascular amyloid peptide, PreA4,
	Protease nexin-II, A4
	Background: The cerebral and vascular plaques associated with Alzheimer's disease are mainly
	composed of Amyloid beta peptides. beta Amyloid is derived from cleavage of the Amyloid
	precursor protein and varies in length from 39 to 43 amino acids. beta Amyloid [1-40], beta
	Amyloid [1-42], and beta Amyloid [1-43] peptides result from cleavage of Amyloid precursor
	protein after residues 40, 42, and 43, respectively. The cleavage takes place by gamma-
	secretase during the last Amyloid precursor protein processing step. beta Amyloid [1-40], beta
	Amyloid [1-42], and beta Amyloid [1-43] peptides are major constituents of the plaques and
	tangles that occur in Alzheimer's disease. beta Amyloid and peptides have been developed as
	tools for elucidating the biology of Alzheimer's disease.
Gene ID:	351
UniProt:	P05067
Application Details	
Application Notes:	WB 1:300-5000
	IHC-P 1:200-400
	IHC-F 1:100-500
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and
	50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be
	handled by trained staff only.
Handling Advice:	Do NOT add Sodium Azide! Use of Sodium Azide will inhibit enzyme activity of horseradish
	peroxidase.
Storage:	-20 °C
-	

Handling

Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months