# antibodies -online.com





# anti-ZBTB33 antibody

2 Images



Go to Product page

#### Overview

Quantity:	200 μL
Target:	ZBTB33
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This ZBTB33 antibody is un-conjugated
Application:	ELISA, Immunohistochemistry (IHC)

# **Product Details**

Immunogen:	Synthetic peptide of human ZBTB33
Isotype:	IgG
Characteristics:	Polyclonal Antibody
Purification:	Antigen affinity purification

# **Target Details**

Target:	ZBTB33
Alternative Name:	ZBTB33 (ZBTB33 Products)
Background:	This gene encodes a transcriptional regulator with bimodal DNA-binding specificity, which binds to methylated CGCG and also to the non-methylated consensus KAISO-binding site
	TCCTGCNA. The protein contains an N-terminal POZ/BTB domain and 3 C-terminal zinc finger
	motifs. It recruits the N-CoR repressor complex to promote histone deacetylation and the

#### **Target Details**

formation of repressive chromatin structures in target gene promoters. It may contribute to the repression of target genes of the Wnt signaling pathway, and may also activate transcription of a subset of target genes by the recruitment of catenin delta-2 (CTNND2). Its interaction with catenin delta-1 (CTNND1) inhibits binding to both methylated and non-methylated DNA. It also interacts directly with the nuclear import receptor Importin- $\alpha$ ,2 (also known as karyopherin alpha2 or RAG cohort 1), which may mediate nuclear import of this protein. Alternatively spliced transcript variants encoding the same protein have been identified.


UniProt:

Q86T24

# **Application Details**


Cormot	Liquid
Handling	
Restrictions:	For Research Use only
Application Notes:	IHC 1:40-1:200, ELISA 1:5000-1:10000

Format:	Liquid
Concentration:	0.9 mg/mL
Buffer:	PBS with 0.05 % Sodium azide and 40 % Glycerol, pH 7.4
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C
Ctorogo Commont:	Ctara at 20°C Avaid fragge / those avalog



# **Immunohistochemistry (Paraffin-embedded Sections)**

**Image 1.** Immunohistochemistry of paraffin-embedded Human cervical cancer tissue using ZBTB33 Polyclonal Antibody at dilution of 1:30(x200)



# **Immunohistochemistry (Paraffin-embedded Sections)**

**Image 2.** Immunohistochemistry of paraffin-embedded Human colorectal cancer tissue using ZBTB33 Polyclonal Antibody at dilution of 1:30(x200)