# antibodies -online.com









Go to Product page

$\sim$				
	$ V \cap$	r\/I	19	٨

Quantity:	200 μL
Target:	UBASH3A
Reactivity:	Human, Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This UBASH3A antibody is un-conjugated
Application:	ELISA, Immunohistochemistry (IHC)

#### **Product Details**

Immunogen:	Fusion protein of human UBASH3A	
Isotype:	IgG	
Characteristics:	Polyclonal Antibody	
Purification:	Antigen affinity purification	

## **Target Details**

Target:	UBASH3A	
Alternative Name:	UBASH3A (UBASH3A Products)	
Background:	This gene encodes one of two family members belonging to the T-cell ubiquitin ligand (TULA family. Both family members can negatively regulate T-cell signaling. This family member can facilitate growth factor withdrawal-induced apoptosis in T cells, which may occur via its interaction with AIF, an apoptosis-inducing factor. Alternative splicing of this gene results in	

#### **Target Details**

	multiple transcript variants.	
UniProt:	P57075	


# **Application Details**

Application Notes:	IHC 1:40-1:250, ELISA 1:5000-1:10000
Restrictions:	For Research Use only

## Handling


Format:	Liquid
Concentration:	0.8 mg/mL
Buffer:	PBS with 0.05 % Sodium azide and 40 % Glycerol, pH 7.4
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Avoid freeze / thaw cycles.

#### Images



## Immunohistochemistry (Paraffin-embedded Sections)

**Image 1.** Immunohistochemistry of paraffin-embedded Human esophagus cancer tissue using UBASH3A Polyclonal Antibody at dilution of 1:50(x200)



#### Immunohistochemistry (Paraffin-embedded Sections)

**Image 2.** Immunohistochemistry of paraffin-embedded Human tonsil tissue using UBASH3A Polyclonal Antibody at dilution of 1:50(x200)