antibodies -online.com







anti-RIC3 antibody

Images



\sim					
	1//	r۱	/1	\triangle	٨

Quantity:	200 μL
Target:	RIC3
Reactivity:	Human, Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This RIC3 antibody is un-conjugated
Application:	Immunohistochemistry (IHC), ELISA

Product Details

Immunogen:	Fusion protein of human RIC3
Isotype:	IgG
Characteristics:	Polyclonal Antibody
Purification:	Antigen affinity purification

Target Details

Target:	RIC3
Alternative Name:	RIC3 (RIC3 Products)
Background:	This gene encodes a member of the resistance to inhibitors of cholinesterase 3-like family
	which functions as a chaperone of specific 5-hydroxytryptamine type 3 receptor and nicotinic
	acetylcholine receptor subtypes. The encoded protein influences the folding and assembly of
	these receptor subunits in the endoplasmic reticulum and expression on the cell surface. This

Target Details

	protein contains an N-terminal transmembrane domain, a proline-rich spacer, and a cytosolic C-
	terminal coiled-coil domain. Alternative splicing results in multiple transcript variants.
UniProt:	Q7Z5B4


Application Details

Application Notes:	IHC 1:50-1:300, ELISA 1:5000-1:10000
Restrictions:	For Research Use only

Handling


Format:	Liquid
Concentration:	1.56 mg/mL
Buffer:	PBS with 0.05 % Sodium azide and 40 % Glycerol, pH 7.4
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Avoid freeze / thaw cycles.

Images



Immunohistochemistry (Paraffin-embedded Sections)

Image 1. Immunohistochemistry of paraffin-embedded Human liver cancer tissue using RIC3 Polyclonal Antibody at dilution of 1:90(x200)



Immunohistochemistry (Paraffin-embedded Sections)

Image 2. Immunohistochemistry of paraffin-embedded Human tonsil tissue using RIC3 Polyclonal Antibody at dilution of 1:90(x200)