antibodies -online.com





anti-PSMA6 antibody





Overview

Quantity:	200 μL
Target:	PSMA6
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This PSMA6 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunofluorescence (IF)

Product Details

Immunogen:	Recombinant fusion protein of human PSMA6 (NP_002782.1).
Isotype:	lgG
Characteristics:	Polyclonal Antibody
Purification:	Affinity purification

Target Details

Target:	PSMA6
Alternative Name:	PSMA6 (PSMA6 Products)
Background:	The proteasome is a multicatalytic proteinase complex with a highly ordered ring-shaped 20S core structure. The core structure is composed of 4 rings of 28 non-identical subunits, 2 rings
	are composed of 7 alpha subunits and 2 rings are composed of 7 beta subunits. Proteasomes
	are distributed throughout eukaryotic cells at a high concentration and cleave peptides in an

Target Details	
	ATP/ubiquitin-dependent process in a non-lysosomal pathway. An essential function of a modified proteasome, the immunoproteasome, is the processing of class I MHC peptides. This gene encodes a member of the peptidase T1A family, that is a 20S core alpha subunit. Multiple transcript variants encoding several different isoforms have been found for this gene. A pseudogene has been identified on the Y chromosome.
Molecular Weight:	Observed_MW: 27 kDa Calculated_MW: 18 kDa/25 kDa/27 kDa
Gene ID:	5687
UniProt:	P60900
Pathways:	Mitotic G1-G1/S Phases, DNA Replication, Synthesis of DNA
Application Details	
Application Notes:	WB 1:500-1:2000 IHC 1:50-1:200 IF 1:50-1:200
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 mg/mL
Buffer:	PBS with 0.02 % sodium azide, 50 % glycerol, pH 7.3

Preservative:

Storage:

Precaution of Use:

Storage Comment:


Sodium azide

-20 °C

should be handled by trained staff only.


Store at -20°C. Avoid freeze / thaw cycles.

This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which




Immunohistochemistry (Paraffin-embedded Sections)

Image 1. Immunohistochemistry of paraffin-embedded Human lung cancer using PSMA6 Polyclonal Antibody at dilution of 1:100 (40x lens).



Western Blotting

Image 2. Western blot analysis of extracts of various cell lines using PSMA6 Polyclonal Antibody at dilution of 1:1000.



Immunohistochemistry (Paraffin-embedded Sections)

Image 3. Immunohistochemistry of paraffin-embedded Mouse kidney using PSMA6 Polyclonal Antibody at dilution of 1:100 (40x lens).

Please check the product details page for more images. Overall 4 images are available for ABIN7257126.