# antibodies -online.com





## anti-PSMB2 antibody

3 Images



Go to Product page

$\sim$			
	N/6	1//r	$I \cap V$

Quantity:	200 μL
Target:	PSMB2
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This PSMB2 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunofluorescence (IF)

## Product Details

Immunogen:	Recombinant fusion protein of human PSMB2 (NP_002785.1).
Isotype:	lgG
Characteristics:	Polyclonal Antibody
Purification:	Affinity purification

## **Target Details**

Target:	PSMB2
Alternative Name:	PSMB2 (PSMB2 Products)
Background:	The proteasome is a multicatalytic proteinase complex with a highly ordered ring-shaped 20S
	core structure. The core structure is composed of 4 rings of 28 non-identical subunits, 2 rings
	are composed of 7 alpha subunits and 2 rings are composed of 7 beta subunits. Proteasomes
	are distributed throughout eukaryotic cells at a high concentration and cleave peptides in an

#### **Target Details**

	ATP/ubiquitin-dependent process in a non-lysosomal pathway. An essential function of a modified proteasome, the immunoproteasome, is the processing of class I MHC peptides. This gene encodes a member of the proteasome B-type family, also known as the T1B family, that is a 20S core beta subunit. Multiple alternatively spliced transcript variants encoding distinct isoforms have been found for this gene.
Molecular Weight:	Observed_MW: 23 kDa Calculated_MW: 22 kDa
Gene ID:	5690

Pathways:

UniProt:

Mitotic G1-G1/S Phases, DNA Replication, Synthesis of DNA


P49721

## **Application Details**

Application Notes:	WB 1:500-1:2000 IHC 1:50-1:200 IF 1:50-1:200
Restrictions:	For Research Use only


## Handling

Format:	Liquid
Concentration:	1 mg/mL
Buffer:	PBS with 0.02 % sodium azide, 50 % glycerol, pH 7.3
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Avoid freeze / thaw cycles.




#### **Immunofluorescence**

**Image 1.** Immunofluorescence analysis of MCF-7 cells using PSMB2 Polyclonal Antibody



#### **Western Blotting**

**Image 2.** Western blot analysis of extracts of various cell lines using PSMB2 Polyclonal Antibody at dilution of 1:1000.



#### **Immunohistochemistry (Paraffin-embedded Sections)**

**Image 3.** Immunohistochemistry of paraffin-embedded Human colon using PSMB2 Polyclonal Antibody at dilution of 1:100 (40x lens).