# antibodies .- online.com





# anti-FA2H antibody





( )	1 /	$\sim$	KI /	110	Νę
	1//	$\vdash$	I \/	1 ←	٠// ٢

Quantity:	200 μL	
Target:	FA2H	
Reactivity:	Human, Rat	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This FA2H antibody is un-conjugated	
Application:	Western Blotting (WB), Immunohistochemistry (IHC)	

## **Product Details**

Immunogen:	Recombinant fusion protein of human FA2H (NP_07/282.3).	
Isotype:	IgG	
Characteristics:	Polyclonal Antibody	
Purification:	Affinity purification	

# **Target Details**

Target:	FA2H
Alternative Name:	FA2H (FA2H Products)
Background:	This gene encodes a protein that catalyzes the synthesis of 2-hydroxysphingolipids, a subset of
	sphingolipids that contain 2-hydroxy fatty acids. Sphingolipids play roles in many cellular
	processes and their structural diversity arises from modification of the hydrophobic ceramide
	moiety, such as by 2-hydroxylation of the N-acyl chain, and the existence of many different

# **Target Details**


	head groups. Mutations in this gene have been associated with leukodystrophy dysmyelinating with spastic paraparesis with or without dystonia.
Molecular Weight:	Observed_MW: 38 kDa  Calculated_MW: 18 kDa/42 kDa
Gene ID:	79152
UniProt:	Q7L5A8

# Application Details

Application Notes:	WB 1:500-1:2000 IHC 1:50-1:200
Restrictions:	For Research Use only


# Handling

Format:	Liquid
Concentration:	1 mg/mL
Buffer:	PBS with 0.02 % sodium azide, 50 % glycerol, pH 7.3
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Avoid freeze / thaw cycles.




#### **Immunohistochemistry (Paraffin-embedded Sections)**

**Image 1.** Immunohistochemistry of paraffin-embedded Rat brain using FA2H Polyclonal Antibody at dilution of 1:150 (40x lens).



#### **Western Blotting**

**Image 2.** Western blot analysis of extracts of various cell lines using FA2H Polyclonal Antibody at dilution of 1:3000.



## Immunohistochemistry (Paraffin-embedded Sections)

**Image 3.** Immunohistochemistry of paraffin-embedded Human stomach using FA2H Polyclonal Antibody at dilution of 1:150 (40x lens).

Please check the product details page for more images. Overall 4 images are available for ABIN7257435.