antibodies -online.com





anti-P2RY2 antibody

2 Images



Go to Product page

Overview

Quantity:	200 μL
Target:	P2RY2
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This P2RY2 antibody is un-conjugated
Application:	Immunohistochemistry (IHC)

Product Details

Immunogen:	Recombinant fusion protein of human P2RY2 (NP_788086.1).
Isotype:	IgG
Characteristics:	Polyclonal Antibody
Purification:	Affinity purification

Target Details

Target:	P2RY2
Alternative Name:	P2RY2 (P2RY2 Products)
Background:	The product of this gene belongs to the family of P2 receptors, which is activated by
	extracellular nucleotides and subdivided into P2X ligand-gated ion channels and P2Y G-protein
	coupled receptors. This family has several receptor subtypes with different pharmacological
	selectivity, which overlaps in some cases, for various adenosine and uridine nucleotides. This

Target Details

receptor, found on many cell types, is activated by ATP and UTP and is reported to be overexpressed on some cancer cell types. It is involved in many cellular functions, such as proliferation, apoptosis and inflammation. Three transcript variants encoding the same protein have been identified for this gene.

Gene ID: 5029

UniProt: P41231

Pathways: Cellular Response to Molecule of Bacterial Origin, Smooth Muscle Cell Migration


Application Details

Application Notes: IHC 1:50-1:200

Restrictions: For Research Use only


Handling

Format:	Liquid
Concentration:	1 mg/mL
Buffer:	PBS with 0.02 % sodium azide, 50 % glycerol, pH 7.3
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Avoid freeze / thaw cycles.



Immunohistochemistry (Paraffin-embedded Sections)

Image 1. Immunohistochemistry of paraffin-embedded Rat heart using P2RY2 Polyclonal Antibody at dilution of 1:100 (40x lens).



Immunohistochemistry (Paraffin-embedded Sections)

Image 2. Immunohistochemistry of paraffin-embedded Rat testis using P2RY2 Polyclonal Antibody at dilution of 1:100 (40x lens).