antibodies -online.com







anti-PLOD2 antibody





$\overline{}$					
	1//	⊃r	V/I	Θ \	Λ

Quantity:	200 μL
Target:	PLOD2
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This PLOD2 antibody is un-conjugated
Application:	Immunofluorescence (IF)

Product Details

Immunogen:	Recombinant fusion protein of human PLOD2 (NP_891988.1).
Isotype:	lgG
Characteristics:	Polyclonal Antibody
Purification:	Affinity purification

Target Details

Target:	PLOD2
Alternative Name:	PLOD2 (PLOD2 Products)
Background:	The protein encoded by this gene is a membrane-bound homodimeric enzyme that is localized to the cisternae of the rough endoplasmic reticulum. The enzyme (cofactors iron and
	ascorbate) catalyzes the hydroxylation of lysyl residues in collagen-like peptides. The resultant
	hydroxylysyl groups are attachment sites for carbohydrates in collagen and thus are critical for

Target Details

the stability of intermolecular crosslinks. Some patients with Ehlers-Danlos syndrome type VIB have deficiencies in lysyl hydroxylase activity. Mutations in the coding region of this gene are associated with Bruck syndrome. Alternative splicing results in multiple transcript variants encoding different isoforms.

Gene ID: 5352

UniProt: 000469

Pathways: SARS-CoV-2 Protein Interactome


Application Details

Application Notes: IF 1:50-1:100

Restrictions: For Research Use only

Handling

Format:	Liquid
Concentration:	1 mg/mL
Buffer:	PBS with 0.02 % sodium azide, 50 % glycerol, pH 7.3
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Avoid freeze / thaw cycles.



Immunofluorescence

Image 1. Immunofluorescence analysis of U2OS cells using PLOD2 Polyclonal Antibody