# antibodies .- online.com





## anti-MRPS2 antibody





Go to Product page

)\/(			

Quantity:	200 μL
Target:	MRPS2
Reactivity:	Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This MRPS2 antibody is un-conjugated
Application:	Western Blotting (WB)

### Product Details

Immunogen:	Recombinant fusion protein of human MRPS2 (NP_057118.1).	
Isotype:	IgG	
Characteristics:	Polyclonal Antibody	
Purification:	Affinity purification	

### **Target Details**

Target:	MRPS2
Alternative Name:	MRPS2 (MRPS2 Products)
Background:	Mammalian mitochondrial ribosomal proteins are encoded by nuclear genes and help in protein
	synthesis within the mitochondrion. Mitochondrial ribosomes (mitoribosomes) consist of a
	small 28S subunit and a large 39S subunit. They have an estimated 75 % protein to rRNA
	composition compared to prokaryotic ribosomes, where this ratio is reversed. Another

#### **Target Details**

Molecular Weight:

difference between mammalian mitoribosomes and prokaryotic ribosomes is that the latter
contain a 5S rRNA. Among different species, the proteins comprising the mitoribosome differ
greatly in sequence, and sometimes in biochemical properties, which prevents easy recognition
by sequence homology. This gene encodes a 28S subunit protein that belongs to the ribosomal
protein S2 family. Alternatively spliced transcript variants have been observed for this gene.
Observed_MW: 33 kDa
Calculated_MW: 33 kDa
51116

Gene ID:

UniProt:

Q9Y399

Pathways:


SARS-CoV-2 Protein Interactome

### **Application Details**

Application Notes:	WB 1:500-1:2000
Restrictions:	For Research Use only

### Handling

Format:	Liquid
Concentration:	1 mg/mL
Buffer:	PBS with 0.02 % sodium azide, 50 % glycerol, pH 7.3
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Avoid freeze / thaw cycles.



#### **Western Blotting**

**Image 1.** Western blot analysis of extracts of various cell lines using MRPS2 Polyclonal Antibody at dilution of 1:3000.