

Datasheet for ABIN725842

anti-IRS2 antibody (AA 501-600) (Biotin)



| Overviev | |
|----------|--|
| | |

| Overview | |
|----------------------|---|
| Quantity: | 100 μL |
| Target: | IRS2 |
| Binding Specificity: | AA 501-600 |
| Reactivity: | Human, Mouse, Rat |
| Host: | Rabbit |
| Clonality: | Polyclonal |
| Conjugate: | This IRS2 antibody is conjugated to Biotin |
| Application: | ELISA, Western Blotting (WB), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro)) |
| Product Details | |
| Immunogen: | KLH conjugated synthetic peptide derived from human IRS-2 |

| Immunogen: | KLH conjugated synthetic peptide derived from human IRS-2 |
|-------------------|---|
| Isotype: | IgG |
| Cross-Reactivity: | Human, Mouse, Rat |
| Purification: | Purified by Protein A. |

Target Details

| Target: | IRS2 |
|-------------------|---|
| Alternative Name: | IRS-2 (IRS2 Products) |
| Background: | Synonyms: IRS-2, Insulin receptor substrate 2, IRS2 |

Background: The family of insulin receptor substrates (IRSs) has been reported to play important roles for signal transduction of various hormones. Four members of the IRS family have been described. Each IRS is believed to have different functions, however, the distinct physiological roles of each IRS are unclear. Summary: This gene encodes the insulin receptor substrate 2, a cytoplasmic signaling molecule that mediates effects of insulin, insulin-like growth factor 1, and other cytokines by acting as a molecular adaptor between diverse receptor tyrosine kinases and downstream effectors. The product of this gene is phosphorylated by the insulin receptor tyrosine kinase upon receptor stimulation, as well as by an interleukin 4 receptor-associated kinase in response to IL4 treatment.

Gene ID: 8660

UniProt: Q9Y4H2

Pathways: Fc-epsilon Receptor Signaling Pathway, EGFR Signaling Pathway, Neurotrophin Signaling

Pathway, Positive Regulation of Peptide Hormone Secretion, Response to Growth Hormone

Stimulus, Carbohydrate Homeostasis, Regulation of Carbohydrate Metabolic Process

Application Details

Application Notes: WB 1:300-5000

IHC-P 1:200-400

IHC-F 1:100-500

Restrictions: For Research Use only

Handling

| Format: | Liquid |
|--------------------|--|
| Concentration: | 1 μg/μL |
| Buffer: | Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol. |
| Preservative: | ProClin |
| Precaution of Use: | This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only. |
| Storage: | -20 °C |
| Storage Comment: | Store at -20°C for 12 months. |

| | | 1. | |
|----------|-------|------|---|
| \vdash | land | lın | |
| | ıaııu | 1111 | U |
| | | | |

Expiry Date:

12 months