antibodies -online.com





anti-SNIP1 antibody





Go to Product page

_						
()	V	ρ	rv	16	$\supset I$	Λ

Quantity:	200 μL
Target:	SNIP1
Reactivity:	Human, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This SNIP1 antibody is un-conjugated
Application:	Immunohistochemistry (IHC), Immunofluorescence (IF)

Product Details

Immunogen:	Recombinant protein of human SNIP1.
Isotype:	IgG
Characteristics:	Polyclonal Antibody
Purification:	Affinity purification

Target Details

Target:	SNIP1
Alternative Name:	SNIP1 (SNIP1 Products)
Background:	This gene encodes a protein that contains a coiled-coil motif and C-terminal forkhead-
	associated (FHA) domain. The encoded protein functions as a transcriptional coactivator that
	increases c-Myc activity and inhibits transforming growth factor beta (TGF-beta) and nuclear
	factor kappa-B (NF-kB) signaling. The encoded protein also regulates the stability of cyclin D1

Target Details


	mRNA, and may play a role in cell proliferation and cancer progression. Mutations in this gene are a cause of psychomotor retardation, epilepsy, and craniofacial dysmorphism (PMRED).
Gene ID:	79753
UniProt:	Q8TAD8
Pathways:	SARS-CoV-2 Protein Interactome, The Global Phosphorylation Landscape of SARS-CoV-2 Infection

Application Details

Application Notes:	IHC 1:50-1:200 IF 1:50-1:200
Restrictions:	For Research Use only


Handling

Format:	Liquid
Concentration:	1 mg/mL
Buffer:	PBS with 0.02 % sodium azide, 50 % glycerol, pH 7.3
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Avoid freeze / thaw cycles.



Immunofluorescence

Image 1. Immunofluorescence analysis of U-2 OS cells using SNIP1 Polyclonal Antibody at dilution of 1:100. Blue: DAPI for nuclear staining.



Immunohistochemistry (Paraffin-embedded Sections)

Image 2. Immunohistochemistry of paraffin-embedded Human colon carcinoma using SNIP1 Polyclonal Antibody at dilution of 1:100 (40x lens).