

Datasheet for ABIN7260402

anti-Histone H4 antibody (3meLys20)



[Go to Product page](#)

4 Images

Overview

Quantity:	200 µL
Target:	Histone H4
Binding Specificity:	3meLys20
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This Histone H4 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunofluorescence (IF)

Product Details

Immunogen:	A synthetic methylated peptide corresponding to residues surrounding K20 of human histone H4
Isotype:	IgG
Characteristics:	Methylated antibody
Purification:	Affinity purification

Target Details

Target:	Histone H4
Abstract:	Histone H4 Products
Background:	Histones are basic nuclear proteins that are responsible for the nucleosome structure of the

Target Details

chromosomal fiber in eukaryotes. This structure consists of approximately 146 bp of DNA wrapped around a nucleosome, an octamer composed of pairs of each of the four core histones (H2A, H2B, H3, and H4). The chromatin fiber is further compacted through the interaction of a linker histone, H1, with the DNA between the nucleosomes to form higher order chromatin structures. This gene is intronless and encodes a replication-dependent histone that is a member of the histone H4 family. Transcripts from this gene lack polyA tails, instead, they contain a palindromic termination element. This gene is found in a histone cluster on chromosome 1. This gene is one of four histone genes in the cluster that are duplicated, this record represents the centromeric copy.

Molecular Weight: Observed_MW: 11 kDa
Calculated_MW: 11 kDa

Gene ID: 8370

UniProt: [P62805](#)

Application Details

Application Notes: WB 1:500-1:2000 IHC 1:50-1:200 IF 1:50-1:200

Restrictions: For Research Use only

Handling

Format: Liquid

Concentration: 1 mg/mL


Buffer: PBS with 0.02 % sodium azide, 50 % glycerol, pH 7.3

Preservative: Sodium azide

Precaution of Use: This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.


Storage: -20 °C

Storage Comment: Store at -20°C. Avoid freeze / thaw cycles.




Immunofluorescence

Image 1. Immunofluorescence analysis of 293T cells using TriMethyl-Histone H4-K20 Polyclonal Antibody



Western Blotting

Image 2. Western blot analysis of extracts of various cell lines using TriMethyl-Histone H4-K20 Polyclonal Antibody at dilution of 1:1000.



Immunohistochemistry (Paraffin-embedded Sections)

Image 3. Immunohistochemistry of paraffin-embedded Rat testis using TriMethyl-Histone H4-K20 Polyclonal Antibody at dilution of 1:200 (40x lens).

Please check the [product details page](#) for more images. Overall 4 images are available for ABIN7260402.