# antibodies .- online.com





# anti-PSMA2 antibody





Go to	D		
	Pron	HCL	nane

( )	ve	K\ /		A .
	$\cup$	1 V/	Щ.	V۷

Quantity:	200 μL
Target:	PSMA2
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This PSMA2 antibody is un-conjugated
Application:	Western Blotting (WB), Immunofluorescence (IF)

#### Product Details

Immunogen:	Recombinant fusion protein of human PSMA2 (NP_002778.1).
Isotype:	IgG
Characteristics:	Polyclonal Antibody
Purification:	Affinity purification

#### **Target Details**

Target:	PSMA2
Alternative Name:	PSMA2 (PSMA2 Products)
Background:	The proteasome is a multicatalytic proteinase complex with a highly ordered ring-shaped 20S
	core structure. The core structure is composed of 4 rings of 28 non-identical subunits, 2 rings
	are composed of 7 alpha subunits and 2 rings are composed of 7 beta subunits. Proteasomes
	are distributed throughout eukaryotic cells at a high concentration and cleave peptides in an

#### **Target Details**


	ATP/ubiquitin-dependent process in a non-lysosomal pathway. An essential function of a modified proteasome, the immunoproteasome, is the processing of class I MHC peptides. This gene encodes a member of the peptidase T1A family, that is a 20S core alpha subunit.
Molecular Weight:	Observed_MW: 26 kDa Calculated_MW: 25 kDa
Gene ID:	5683
UniProt:	P25787
Pathways:	Mitotic G1-G1/S Phases, DNA Replication, Synthesis of DNA


## Application Details

Application Notes:	WB 1:500-1:2000 IF 1:50-1:200
Restrictions:	For Research Use only

### Handling

Format:	Liquid
Concentration:	1 mg/mL
Buffer:	PBS with 0.02 % sodium azide, 50 % glycerol, pH 7.3
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Avoid freeze / thaw cycles.





#### Immunofluorescence

**Image 1.** Immunofluorescence analysis of U2OS cells using PSMA2 Polyclonal Antibody

#### **Western Blotting**

**Image 2.** Western blot analysis of extracts of various cell lines using PSMA2 Polyclonal Antibody at dilution of 1:1000.