antibodies -online.com





anti-MAT1A antibody





Go to Product page

Overview

Quantity:	200 μL
Target:	MAT1A
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This MAT1A antibody is un-conjugated
Application:	Immunohistochemistry (IHC)

Product Details

Immunogen:	Recombinant fusion protein of human MAT1A (NP_000420.1).
Isotype:	IgG
Characteristics:	Polyclonal Antibody
Purification:	Affinity purification

Target Details

Target:	MAT1A
Alternative Name:	MAT1A (MAT1A Products)
Background:	This gene catalyzes a two-step reaction that involves the transfer of the adenosyl moiety of
	ATP to methionine to form S-adenosylmethionine and tripolyphosphate, which is subsequently
	cleaved to PPi and Pi. S-adenosylmethionine is the source of methyl groups for most biological
	methylations. The encoded protein is found as a homotetramer (MAT I) or a homodimer (MAT

Target Details


	III) whereas a third form, MAT II (gamma), is encoded by the MAT2A gene. Mutations in this gene are associated with methionine adenosyltransferase deficiency.
Gene ID:	4143
UniProt:	Q00266
Pathways:	Mitotic G1-G1/S Phases, M Phase, Ribonucleoside Biosynthetic Process, Methionine Biosynthetic Process

Application Details

Application Notes:	IHC 1:50-1:200
Restrictions:	For Research Use only

Handling

Format:	Liquid
Concentration:	1 mg/mL
Buffer:	PBS with 0.02 % sodium azide, 50 % glycerol, pH 7.3
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Avoid freeze / thaw cycles.



Immunohistochemistry (Paraffin-embedded Sections)

Image 1. Immunohistochemistry of paraffin-embedded Human liver damage using MAT1A Polyclonal Antibody at dilution of 1:100 (40x lens).