antibodies .- online.com







anti-PHF21A antibody



Image



()	ve	K\ /		
	\cup	1 V/	Щ.	V۷

Quantity:	200 μL
Target:	PHF21A
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This PHF21A antibody is un-conjugated
Application:	Western Blotting (WB)

Product Details

Immunogen:	Recombinant fusion protein of human PHF21A (NP_001095272.1).	
Isotype:	IgG	
Characteristics:	Polyclonal Antibody	
Purification:	Affinity purification	

Target Details

Target:	PHF21A	
Alternative Name:	PHF21A (PHF21A Products)	
Background:	Zinc-finger proteins contain DNA-binding domains and have a wide variety of functions, most of	
	which encompass some form of transcriptional activation or repression. PHF21A (PHD finger	
	protein 21A), also known as BRAF35-HDAC complex protein BHC80, is a 680 amino acid	
	nuclear protein that contains one PHD-type zinc finger and one A.T hook DNA-binding domain,	

Target Details

suggesting involvement in transcriptional regulation events. PHF21A is a component of the BHC complex, which is responsible for repressing transcription of neuron-specific genes in non-neuronal cells. The BHC complex acts as a chromatin modifier that deacetylates and demethylates specific sites on histones. PHF21A may act as a scaffold within the BHC complex. Predominantly expressed in brain, three isoforms of PHF21A exist as a result of alternative splicing events.

Molecular Weight: O

Observed_MW: 70-80 kDa

Calculated_MW: 70 kDa/74 kDa

Gene ID:

51317

UniProt:

Q96BD5

-20 °C

Pathways:

Feeding Behaviour

Application Details

Application Notes: WB 1:500-1:2000

Restrictions: For Research Use only


Handling

Storage:

Storage Comment:

Format:	Liquid
Concentration:	1 mg/mL
Buffer:	PBS with 0.02 % sodium azide, 50 % glycerol, pH 7.3
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Store at -20°C. Avoid freeze / thaw cycles.



Western Blotting

Image 1. Western blot analysis of extracts of various cell lines using PHF21A Polyclonal Antibody at dilution of 1:1000.