# antibodies .- online.com





## anti-Glucose-6-Phosphate Dehydrogenase antibody



**Images** 



Go to Product page

$\sim$							
	1//	$\Box$	$r \setminus$	/ [	$\bigcirc$	1	٨,

Overview		
Quantity:	200 μL	
Target:	Glucose-6-Phosphate Dehydrogenase (G6PD)	
Reactivity:	Human, Mouse, Rat	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This Glucose-6-Phosphate Dehydrogenase antibody is un-conjugated	
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunofluorescence (IF)	
Product Details		
Immunogen:	Recombinant fusion protein of human H6PD (NP_004276.2).	
Isotype:	IgG	
Characteristics:	Polyclonal Antibody	
Purification:	Affinity purification	
Target Details		
Target:	Glucose-6-Phosphate Dehydrogenase (G6PD)	
Alternative Name:	H6PD (G6PD Products)	
Background:	There are 2 forms of glucose-6-phosphate dehydrogenase. G form is X-linked and H form, encoded by this gene, is autosomally linked. This H form shows activity with other hexose-6-phosphates, especially galactose-6-phosphate, whereas the G form is specific for glucose-6-	
	phosphate. Both forms are present in most tissues, but H form is not found in red cells.	

### **Target Details**

Molecular Weight:	Observed_MW: 89 kDa Calculated_MW: 88 kDa	
Gene ID:	9563	
UniProt:	095479	
Pathways:	Regulation of Systemic Arterial Blood Pressure by Hormones	


## **Application Details**

Application Notes:	WB 1:500-1:2000 IHC 1:50-1:200 IF 1:10-1:100
Restrictions:	For Research Use only

## Handling


Format:	Liquid
Concentration:	1 mg/mL
Buffer:	PBS with 0.02 % sodium azide, 50 % glycerol, pH 7.3
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Avoid freeze / thaw cycles.

#### **Images**




#### Immunohistochemistry (Paraffin-embedded Sections)

**Image 1.** Immunohistochemistry of paraffin-embedded Rat kidney using H6PD Polyclonal Antibody at dilution of 1:200 (40x lens).



### **Western Blotting**

**Image 2.** Western blot analysis of extracts of various cell lines using H6PD Polyclonal Antibody at dilution of 1:1000.



#### **Immunofluorescence**

**Image 3.** Immunofluorescence analysis of U2OS cells using H6PD Polyclonal Antibody