antibodies -online.com





anti-THOC1 antibody



Images



Go to Product page

| _ | | | | | | |
|-----|---|---|----|----|-------------|---|
| () | V | ρ | rv | 16 | $\supset I$ | Λ |
| | | | | | | |

| Quantity: | 200 μL |
|--------------|--|
| Target: | THOC1 |
| Reactivity: | Human, Mouse, Rat |
| Host: | Rabbit |
| Clonality: | Polyclonal |
| Conjugate: | This THOC1 antibody is un-conjugated |
| Application: | Western Blotting (WB), Immunohistochemistry (IHC), Immunofluorescence (IF) |

Product Details

| Immunogen: | Recombinant fusion protein of human THOC1 (NP_005122.2). | |
|------------------|--|--|
| Isotype: | IgG | |
| Characteristics: | Polyclonal Antibody | |
| Purification: | Affinity purification | |

Target Details

| Target: | THOC1 |
|-------------------|--|
| Alternative Name: | THOC1 (THOC1 Products) |
| Background: | THOC1 (THO Complex 1) is a Protein Coding gene. Among its related pathways are Cleavage of |
| | Growing Transcript in the Termination Region and Transport of Mature Transcript to |
| | Cytoplasm. Gene Ontology (GO) annotations related to this gene include RNA binding. |

Target Details

| Molecular Weight: | Observed_MW: 92 kDa Calculated_MW: 43 kDa/75 kDa |
|-------------------|--|
| Gene ID: | 9984 |
| UniProt: | Q96FV9 |


Application Details

| Application Notes: | WB 1:500-1:2000 IHC 1:50-1:100 IF 1:50-1:100 | |
|--------------------|--|--|
| Restrictions: | For Research Use only | |

Handling


| Format: | Liquid |
|--------------------|--|
| Concentration: | 1 mg/mL |
| Buffer: | PBS with 0.02 % sodium azide, 50 % glycerol, pH 7.3 |
| Preservative: | Sodium azide |
| Precaution of Use: | This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only. |
| Storage: | -20 °C |
| Storage Comment: | Store at -20°C. Avoid freeze / thaw cycles. |

Images




Immunofluorescence

Image 1. Immunofluorescence analysis of U2OS cells using THOC1 Polyclonal Antibody at dilution of 1:100. Blue: DAPI for nuclear staining.



Western Blotting

Image 2. Western blot analysis of extracts of various cell lines using THOC1 Polyclonal Antibody at dilution of 1:1000.



Immunohistochemistry (Paraffin-embedded Sections)

Image 3. Immunohistochemistry of paraffin-embedded Mouse kidney using THOC1 Polyclonal Antibody at dilution of 1:100 (40x lens).

Please check the product details page for more images. Overall 6 images are available for ABIN7264235.