
antibodies -online.com





anti-NMT1 antibody

3 Images



Overview

Quantity:	200 μL
Target:	NMT1
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This NMT1 antibody is un-conjugated
Application:	Immunohistochemistry (IHC)

Product Details

Immunogen:	Recombinant fusion protein of human NMT1 (NP_066565.1).
Isotype:	IgG
Characteristics:	Polyclonal Antibody
Purification:	Affinity purification

Target Details

Target:	NM11
Alternative Name:	NMT1 (NMT1 Products)
Background:	Myristate, a rare 14-carbon saturated fatty acid, is cotranslationally attached by an amide
	linkage to the N-terminal glycine residue of cellular and viral proteins with diverse functions. N-
	myristoyltransferase catalyzes the transfer of myristate from CoA to proteins. N-myristoylation
	appears to be irreversible and is required for full expression of the biologic activities of several

Target Details

	N-myristoylated proteins, including the alpha subunit of the signal-transducing guanine nucleotide-binding protein (G protein).
Gene ID:	4836
UniProt:	P30419
Pathways:	Regulation of G-Protein Coupled Receptor Protein Signaling


Application Details

Application Notes:	IHC 1:50-1:200
Restrictions:	For Research Use only

Handling


Format:	Liquid
Concentration:	1 mg/mL
Buffer:	PBS with 0.02 % sodium azide, 50 % glycerol, pH 7.3
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Avoid freeze / thaw cycles.

Images




Immunohistochemistry (Paraffin-embedded Sections)

Image 1. Immunohistochemistry of paraffin-embedded Human mammary cancer using NMT1 Polyclonal Antibody at dilution of 1:100 (40x lens).



Immunohistochemistry (Paraffin-embedded Sections)

Image 2. Immunohistochemistry of paraffin-embedded Rat ovary using NMT1 Polyclonal Antibody at dilution of 1:100 (40x lens).



Immunohistochemistry (Paraffin-embedded Sections)

Image 3. Immunohistochemistry of paraffin-embedded Human colon using NMT1 Polyclonal Antibody at dilution of 1:100 (40x lens).