

Datasheet for ABIN7266635

anti-COX3 antibody[Go to Product page](#)**1** Image

Overview

Quantity:	100 µL
Target:	COX3 (COX-3)
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This COX3 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC)

Product Details

Purpose:	MT-CO3 Rabbit pAb
Immunogen:	Recombinant protein of human MT-CO3.
Isotype:	IgG
Cross-Reactivity:	Human, Mouse, Rat
Characteristics:	Polyclonal Antibodies
Purification:	Affinity purification

Target Details

Target:	COX3 (COX-3)
Alternative Name:	MT-CO3 (COX-3 Products)
Background:	Component of the cytochrome c oxidase, the last enzyme in the mitochondrial electron

Target Details

transport chain which drives oxidative phosphorylation. The respiratory chain contains 3 multisubunit complexes succinate dehydrogenase (complex II, CII, ubiquinol-cytochrome c oxidoreductase (cytochrome b-c1 complex, complex III, CIII and cytochrome c oxidase (complex IV, CIV, that cooperate to transfer electrons derived from NADH and succinate to molecular oxygen, creating an electrochemical gradient over the inner membrane that drives transmembrane transport and the ATP synthase. Cytochrome c oxidase is the component of the respiratory chain that catalyzes the reduction of oxygen to water. Electrons originating from reduced cytochrome c in the intermembrane space (IMS are transferred via the dinuclear copper A center (CU(A of subunit 2 and heme A of subunit 1 to the active site in subunit 1, a binuclear center (BNC formed by heme A3 and copper B (CU(B. The BNC reduces molecular oxygen to 2 water molecules using 4 electrons from cytochrome c in the IMS and 4 protons from the mitochondrial matrix.,COIII,MTCO3,COX3,MT-CO3,Cancer,Signal Transduction,Cell Biology & Developmental Biology,Endocrine & Metabolism,Mitochondrial metabolism,Cytochromes,Mitochondrial markers,Oxidative phosphorylation,Lipid Metabolism,Cytochromes,Lipases,Neuroscience,Neurodegenerative Diseases,Cardiovascular,Lipids,MT-CO3

Molecular Weight: 30kDa

Gene ID: 4514

UniProt: [P00414](#)

Application Details

Application Notes: WB,1:500 - 1:2000,IHC,1:100 - 1:200

Restrictions: For Research Use only

Handling

Format: Liquid


Buffer: PBS with 0.02 % sodium azide,50 % glycerol, pH 7.3.

Preservative: Sodium azide

Precaution of Use: This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Storage: -20 °C

Storage Comment: Store at -20°C. Avoid freeze / thaw cycles.



Western Blotting

Image 1. Western blot analysis of extracts of Mouse kidney, using MT-CO3 antibody (ABIN7266635) at 1:1000 dilution. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) (ABIN1684268 and ABIN3020597) at 1:10000 dilution. Lysates/proteins: 25 µg per lane. Blocking buffer: 3 % nonfat dry milk in TBST. Detection: ECL Basic Kit (RM00020). Exposure time: 180s.