

Datasheet for ABIN7268049
anti-JunB antibody (AA 1-200)



[Go to Product page](#)

1 Image

Overview

Quantity:	100 µL
Target:	JunB (JUNB)
Binding Specificity:	AA 1-200
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This JunB antibody is un-conjugated
Application:	Western Blotting (WB)

Product Details

Purpose:	JunB Rabbit pAb
Immunogen:	Recombinant fusion protein containing a sequence corresponding to amino acids 1-200 of human JunB (NP_002220.1).
Sequence:	MCTKMEQPFY HDDSYTATGY GRAPGGLSLH DYKLLKPSLA VNLADPYRSL KAPGARGPGP EGGGGGSYFS GQGSDTGASL KLASSELERL IVPNSNGVIT TTPTPPGQYF YPRGGGSGGG AGGAGGGVTE EQEGFADGFV KALDDLHKMN HVTTPNVSLG ATGGPPAGPG GUYAGPEPPP VYTNLSSYSP ASASSGGAGA
Isotype:	IgG
Cross-Reactivity:	Human
Characteristics:	Polyclonal Antibodies

Product Details

Purification: Affinity purification

Target Details

Target: JunB (JUNB)

Alternative Name: JUNB ([JUNB Products](#))

Background: JunB is one of the components of the Activator Protein-1 (AP-1) transcription complex that have been implicated in the control of the G0/G1 transition in fibroblasts. AP-1 is a collection of dimers formed by members of the Jun-, Fos-, ATF- and Maf multigene families that bind to specific DNA regulatory elements called AP-1/12-O-tetradecanoylphorbol-13-acetate-responsive elements (TREs) and cAMP-responsive elements (CREs). JunB binds to the DNA sequence 5'-TGA[CG]TCA-3', and involves in the regulation of gene activity following the primary growth factor response. It also acts either as a tumor suppressor or as an oncogene depending on the cell and physiopathological context, JUNB, AP-1, Epigenetics & Nuclear Signaling, Transcription Factors, Cancer, JUNB

Molecular Weight: 35kDa

Gene ID: 3726

UniProt: [P17275](#)

Application Details

Application Notes: WB, 1:500 - 1:2000

Restrictions: For Research Use only

Handling

Format: Liquid


Buffer: PBS with 0.02 % sodium azide, 50 % glycerol, pH 7.3.

Preservative: Sodium azide

Precaution of Use: This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Storage: -20 °C

Storage Comment: Store at -20°C. Avoid freeze / thaw cycles.



Western Blotting

Image 1. Western blot analysis of extracts of various cell lines, using JunB antibody (ABIN7268049) at 1:500 dilution. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) (ABIN1684268 and ABIN3020597) at 1:10000 dilution. Lysates/proteins: 25 µg per lane. Blocking buffer: 3 % nonfat dry milk in TBST. Detection: ECL Basic Kit (RM00020). Exposure time: 90s.