antibodies - online.com







anti-RRAD antibody (AA 211-308)



| \sim | | | | | |
|--------|----|----|----|-------------|---|
| () | VE | ۲۱ | /1 | \triangle | Λ |

| Quantity: | 100 μL |
|----------------------|--|
| Target: | RRAD |
| Binding Specificity: | AA 211-308 |
| Reactivity: | Human |
| Host: | Rabbit |
| Clonality: | Polyclonal |
| Conjugate: | This RRAD antibody is un-conjugated |
| Application: | ELISA, Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffinembedded Sections) (IF (p)), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro)) |

Product Details

| Immunogen: | KLH conjugated synthetic peptide derived from human RRAD |
|-----------------------|--|
| Isotype: | IgG |
| Predicted Reactivity: | Human,Mouse,Rat,Dog,Cow,Horse,Rabbit |
| Purification: | Purified by Protein A. |
| Target Details | |

| Target: | RRAD |
|-------------------|----------------------|
| Alternative Name: | RRAD (RRAD Products) |

Target Details

| Background: |
|-------------|
|-------------|

Synonyms: RAD, Ras-related associated with diabetes, RAD1, REM3, Cell cycle checkpoint protein Hrad1, Cell cycle checkpoint protein Rad 1 A / B, Cell cycle checkpoint protein RAD1, Checkpoint control protein HRAD1, Checkpoint control protein RAD1, DNA repair exonuclease, DNA repair exonuclease rad1, DNA repair exonuclease rad1 homolog, DNA repair exonuclease REC1, DNA repair protein RAD1, EC 3.1.11.2, Exonuclease homolog RAD1, GTP-binding protein RAD, hRAD 1, hRAD1, MGC77779, RAD 1, RAD, RAD1 homolog S. pombe, RAD1 homolog, Rad1 like DNA damage checkpoint, Rad1 like DNA damage checkpoint protein, RAD1, S. pombe, homolog of, Ras associated with diabetes, REC 1, REC1, RRAD, RAD_HUMAN.

Background: Human Rad1 is a component of a heterotrimeric PCNA like complex that also contains the Rad9 and Hus1 proteins. This complex is believed to be involved in cellular responses to DNA damage, possibly by associating with Rad17 and several components of the PCNA-loading heteropentamer, replication factor C. Human Rad1 exhibits significant homology to Rad1 from S. pombe, and its expression in yeast rad1 mutants has been shown to partially restore radiation resistance and G2 checkpoint activity. It has also been shown to possess exonuclease activity.

Gene ID:

6236

Application Details

ELISA 1:500-1000

IHC-P 1:200-400

IHC-F 1:100-500

IF(IHC-P) 1:50-200

IF(IHC-F) 1:50-200

IF(ICC) 1:50-200

Restrictions:

For Research Use only

Handling

| Format: | Liquid |
|--------------------|--|
| Concentration: | 1 μg/μL |
| Buffer: | 0.01M TBS(pH 7.4) with 1 % BSA, 0.02 % Proclin300 and 50 % Glycerol. |
| Preservative: | ProClin |
| Precaution of Use: | This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only. |

Handling

| Storage: | 4 °C,-20 °C |
|------------------|---|
| Storage Comment: | Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles. |
| Expiry Date: | 12 months |