antibodies -online.com





anti-PPP1R13L antibody (AA 15-100)



Image



Go to Product page

| \sim | | | |
|--------|-----------------------|------|------------|
| | $ \backslash / \cap$ | r\/I | $I \cap V$ |

| Quantity: | 100 μL |
|----------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Target: | PPP1R13L |
| Binding Specificity: | AA 15-100 |
| Reactivity: | Human, Rat |
| Host: | Rabbit |
| Clonality: | Polyclonal |
| Conjugate: | This PPP1R13L antibody is un-conjugated |
| Application: | Western Blotting (WB), ELISA, Flow Cytometry (FACS), Immunofluorescence (Paraffinembedded Sections) (IF (p)), Immunofluorescence (Cultured Cells) (IF (cc)), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro)) |

Product Details

| Immunogen: | KLH conjugated synthetic peptide derived from human IASPP | |
|-----------------------|-----------------------------------------------------------|--|
| Isotype: | IgG | |
| Cross-Reactivity: | Human, Rat | |
| Predicted Reactivity: | Mouse,Dog,Cow,Sheep,Pig,Guinea Pig | |
| Purification: | Purified by Protein A. | |

Target Details

| Target: | PPP1R13L | | |
|---------|----------|--|--|
|---------|----------|--|--|


Target Details

| Target Details | | |
|---------------------|--------------------------------------------------------------------------------------------------|--|
| Alternative Name: | IASPP (PPP1R13L Products) | |
| Background: | Synonyms: RAI, RAI4, IASPP, NKIP1, RelA-associated inhibitor, Inhibitor of ASPP protein, Protein | |
| | iASPP, NFkB-interacting protein 1, PPP1R13B-like protein, PPP1R13L, PPP1R13BL | |
| | Background: Regulator that plays a central role in regulation of apoptosis and transcription via | |
| | its interaction with NF-kappa-B and p53/TP53 proteins. Blocks transcription of HIV-1 virus by | |
| | inhibiting the action of both NF-kappa-B and SP1. Also inhibits p53/TP53 function, possibly by | |
| | preventing the association between p53/TP53 and ASPP1 or ASPP2, and therefore suppressing | |
| | the subsequent activation of apoptosis. | |
| Gene ID: | 10848 | |
| UniProt: | Q8WUF5 | |
| Application Details | | |
| Application Notes: | WB 1:300-5000 | |
| | ELISA 1:500-1000 | |
| | FCM 1:20-100 | |
| | IHC-P 1:200-400 | |
| | IHC-F 1:100-500 | |
| | IF(IHC-P) 1:50-200 | |
| | IF(IHC-F) 1:50-200 | |
| | IF(ICC) 1:50-200 | |
| Restrictions: | For Research Use only | |
| Handling | | |
| Format: | Liquid | |
| Concentration: | 1 μg/μL | |
| Buffer: | 0.01M TBS(pH 7.4) with 1 % BSA, 0.02 % Proclin300 and 50 % Glycerol. | |
| Preservative: | ProClin | |
| Precaution of Use: | This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be | |
| | handled by trained staff only. | |
| Storage: | 4 °C,-20 °C | |
| Storage Comment: | Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles. | |
| | | |

Expiry Date:

12 months

Images



Immunohistochemistry

Image 1. Formalin-fixed and paraffin embedded keloid tissue labeled with Anti-iASPP Polyclonal Antibody, Unconjugated (ABIN727280) followed by conjugation to the secondary antibody and DAB staining