
antibodies - online.com







Angiopoietin 2 Protein (ANGPT2) (AA 275-496) (His tag)





\sim					
()	VE	۲۱	/1	\triangle	Λ

Quantity:	100 μg
Target:	Angiopoietin 2 (ANGPT2)
Protein Characteristics:	AA 275-496
Origin:	Mouse
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This Angiopoietin 2 protein is labelled with His tag.

Product Details


Purpose:	Mouse ANGPT2/Angiopoietin-2 Protein
Sequence:	Lys275-Phe496
Characteristics:	Recombinant Mouse ANGPT2/Angiopoietin-2 Protein is expressed from HEK293 with His tag at the C-Terminus.It contains Lys275-Phe496.
Purity:	> 95 % as determined by Tris-Bis PAGE,> 95 % as determined by HPLC
Sterility:	0.22 μm filtered
Endotoxin Level:	Less than 1EU per µg by the LAL method.

Target Details

Target:	Angiopoietin 2 (ANGPT2)
Alternative Name:	ANGPT2 (ANGPT2 Products)


Target Details

9		
Background:	Angiopoietin-2 (Ang-2, also ANGPT2) is a secreted glycoprotein that plays a complex role in angiogenesis and inflammation. Mature Ang-2 is 478 amino acids in length.Ang2 is widely expressed during development, but it is restricted postnatally to highly angiogenic tissues such as the placenta, ovaries, and uterus. It is particularly abundant in vascular endothelial cells (EC) where it is stored in intracellular Weibel Palade bodies	
Molecular Weight:	26.29 kDa. Due to glycosylation, the protein migrates to 30-35 kDa based on Tris-Bis PAGE result.	
UniProt:	O35608	
Pathways:	RTK Signaling	
Application Details		
Restrictions:	For Research Use only	
Handling		
Format:	Lyophilized	
Reconstitution:	Centrifuge the tube before opening. Reconstituting to a concentration more than 100 μ g/mL is recommended. Dissolve the lyophilized protein in distilled water.	
Buffer:	Lyophilized from 0.22µm filtered solution in PBS (pH 7.4). Normally 8 % trehalose is added as protectant before lyophilization.	
Storage:	-20 °C,-80 °C	
Storage Comment:	-20 to -80°C for 12 months as supplied from date of receipt.,-80°C for 3-6 months after reconstitution.,2-8°C for 2-7 days after reconstitution.,Recommend to aliquot the protein into smaller quantities for optimal storage. Please minimize freeze-thaw cycles.	
Expiry Date:	12 months	



SDS-PAGE

Image 1. Mouse ANGPT2 on Tris-Bis PAGE under reduced condition. The purity is greater than 95 % .



Size-exclusion chromatography-High Pressure Liquid Chromatography

Image 2. The purity of Mouse ANGPT2 is greater than 95% as determined by SEC-HPLC.