antibodies -online.com







ApoE3 Protein (AA 19-317) (His tag)

Images



Overview

Quantity:	100 μg
Target:	ApoE3
Protein Characteristics:	AA 19-317
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This ApoE3 protein is labelled with His tag.

Product Details

Purpose:	Human APOE3/Apolipoprotein E Protein
Sequence:	Lys19-His317
Characteristics:	Recombinant Human APOE3/Apolipoprotein E Protein is expressed from HEK293 with His tag at the N-Terminus.It contains Lys19-His317.
Purity:	> 95 % as determined by Tris-Bis PAGE,> 95 % as determined by HPLC
Sterility:	0.22 μm filtered
Endotoxin Level:	Less than 1EU per µg by the LAL method.
Biological Activity Comment:	The affinity constant of 1.004 μM as determined in SPR assay (Biacore T200). See testing image for detail.

Target Details	
Target:	ApoE3
Alternative Name:	APOE3 (ApoE3 Products)
Background:	Apolipoprotein E (apoE) is a lipid carrier in both the peripheral and the central nervous systems. Lipid-loaded apoE lipoprotein particles bind to several cell surface receptors to support membrane homeostasis and injury repair in the brain. Considering prevalence and relative risk magnitude, the £4 allele of the APOE gene is the strongest genetic risk factor for late-onset Alzheimer's disease (AD).
Molecular Weight:	35.3 kDa. Due to glycosylation, the protein migrates to 35-40 kDa based on Tris-Bis PAGE result.
Pathways:	Regulation of Cell Size, Lipid Metabolism
Application Details	
Restrictions:	For Research Use only
Handling	
Format:	Lyophilized
Reconstitution:	Centrifuge the tube before opening. Reconstituting to a concentration more than 100 μ g/mL is recommended. Dissolve the lyophilized protein in distilled water.
Buffer:	Lyophilized from 0.22µm filtered solution in PBS (pH 7.4). Normally 8 % trehalose is added as

protectant before lyophilization.

-20 °C,-80 °C

12 months

Storage:


Expiry Date:

Storage Comment:

-20 to -80°C for 12 months as supplied from date of receipt., -80°C for 3-6 months after


smaller quantities for optimal storage. Please minimize freeze-thaw cycles.

reconstitution., 2-8°C for 2-7 days after reconstitution., Recommend to aliquot the protein into




Surface Plasmon Resonance

Image 1. Human LILRB4, hFc Tag captured on CM5 Chip via Protein A can bind Human APOE, His Tag with an affinity constant of 115.9 nM as determined in SPR assay (Biacore T200).



SDS-PAGE

Image 2. Human APOE on Tris-Bis PAGE under reduced condition. The purity is greater than $95\,\%$.



Surface Plasmon Resonance

Image 3. Human TREM2, hFc Tag captured on CM5 Chip via Protein A can bind Human APOE, His Tag with an affinity constant of 1.004 μ M as determined in SPR assay (Biacore T200).