
antibodies -online.com







AXL Protein (AA 26-449) (Fc Tag, Biotin)



Images



Go to Product page

\sim			
	$ \backslash / \cap$	r\/I	\square

Quantity:	100 μg	
Target:	AXL	
Protein Characteristics:	AA 26-449	
Origin:	Human	
Source:	HEK-293 Cells	
Protein Type:	Recombinant	
Purification tag / Conjugate:	This AXL protein is labelled with Fc Tag,Biotin.	


Product Details

Purpose:	Biotinylated Human Axl Protein (Primary Amine Labeling)	
Sequence:	Ala26-Pro449	
Characteristics:	Recombinant Biotinylated Human Axl Protein (Primary Amine Labeling) is expressed from HEK293 with hFc tag at the C-Terminus. It contains Ala26-Pro449.	
Purity:	> 95 % as determined by Tris-Bis PAGE,> 95 % as determined by HPLC	
Sterility:	0.22 µm filtered	
Endotoxin Level:	Less than 1EU per µg by the LAL method.	
Biological Activity Comment:	Immobilized Anti-Axl Antibody at 0.5µg/ml (100µl/well) on the plate. Dose response curve for Biotinylated Human Axl, hFc Tag with the EC50 of 14.6ng/ml determined by ELISA. See testing image for detail.	

Target Details


rarget betails		
Target:	AXL	
Alternative Name:	AXL (AXL Products)	
Background:	Axl, a member of the TAM (Tyro3, Axl, Mer) family, and its inhibitors can specifically break the kinase signaling nodes, allowing advanced patients to regain drug sensitivity with improved therapeutic efficacy. Overexpression and activation of Axl receptor tyrosine kinase have been widely accepted to promote cell proliferation, chemotherapy resistance, invasion, and metastasis in several human cancers, such as lung, breast, and pancreatic cancers.	
Molecular Weight:	72.6 kDa. Due to glycosylation, the protein migrates to 80-110 kDa based on Tris-Bis PAGE result.	
Pathways:	RTK Signaling, Cellular Response to Molecule of Bacterial Origin	
Application Details		
Restrictions:	For Research Use only	
Handling		
Format:	Lyophilized	
Reconstitution:	Centrifuge the tube before opening. Reconstituting to a concentration more than 100 μ g/mL is recommended. Dissolve the lyophilized protein in distilled water.	
Buffer:	Lyophilized from 0.22µm filtered solution in PBS (pH 7.4). Normally 8 % trehalose is added as protectant before lyophilization.	
Storage:	-20 °C,-80 °C	
Storage Comment:	-20 to -80°C for 12 months as supplied from date of receipt.,-80°C for 3-6 months after reconstitution.,2-8°C for 2-7 days after reconstitution.,Recommend to aliquot the protein into smaller quantities for optimal storage. Please minimize freeze-thaw cycles.	
Expiry Date:	12 months	

Biotinylated Human AxI, hFc Tag ELISA 0.05µg Anti-AxI Antibody, hFc Tag Per Well




ELISA

Image 1. Immobilized Anti-Axl Antibody at $0.5~\mu g/mL$ ($100~\mu$ L/well) on the plate. Dose response curve for Biotinylated Human Axl, hFc Tag with the EC50 of 14.6 ng/mL determined by ELISA.



SDS-PAGE

Image 2. Biotinylated Human AxI on Tris-Bis PAGE under reduced condition. The purity is greater than 95%.



Size-exclusion chromatography-High Pressure Liquid Chromatography

Image 3. The purity of Biotinylated Human Axl is greater than 95 % as determined by SEC-HPLC.