# antibodies - online.com







# **AXL Protein (His-Avi Tag)**

**Images** 



## Overview

Quantity:	100 μg
Target:	AXL
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This AXL protein is labelled with His-Avi Tag.

# **Product Details**


Sequence:	Ala26-Pro449
Purity:	> 95% as determined by Tris-Bis PAGE,> 95% as determined by SEC-HPLC
Sterility:	0.22 µm filtered
Endotoxin Level:	Less than 1EU per µg by the LAL method.
Biological Activity Comment:	Immobilized Human AXL, His Tag at 2µg/ml (100µl/well) on the plate. Dose response curve for
	Anti-AXL Antibody, hFc Tag with the EC50 of 11.2ng/ml determined by ELISA. See testing
	image for detail.


# Target Details


Target:	AXL
Alternative Name:	AXL (AXL Products)
Background:	AxI, UFO, AXL oncogene, AXL, ARK, JTK11, Tyro7, Al323647, EC 2.7.10, EC 2.7.10.1,AxI, a
	member of the TAM (Tyro3, Axl, Mer) family, and its inhibitors can specifically break the kinase

Target Details	
	signaling nodes, allowing advanced patients to regain drug sensitivity with improved therapeutic efficacy. Overexpression and activation of Axl receptor tyrosine kinase have been widely accepted to promote cell proliferation, chemotherapy resistance, invasion, and metastasis in several human cancers, such as lung, breast, and pancreatic cancers.
Molecular Weight:	48.7 kDa. Due to glycosylation, the protein migrates to 70-80 kDa based on Tris-Bis PAGE result.
Pathways:	RTK Signaling, Cellular Response to Molecule of Bacterial Origin
Application Details	
Restrictions:	For Research Use only
Handling	
Format:	Lyophilized
Reconstitution:	Centrifuge tubes before opening. Reconstituting to a concentration more than 100 µg/mL is recommended (usually we use 1 mg/mL solution for lyophilization). Dissolve the lyophilized protein in distilled water.
Buffer:	Lyophilized from 0.22µm filtered solution in PBS (pH 7.4). Normally 5 % trehalose is added as

#### Human AXL His Tag ELISA 0.2µg Human AXL, His Tag Per Well







### **ELISA**

**Image 1.** Immobilized Human AXL, His Tag at  $2 \mu g/mL$  (100  $\mu L/well$ ) on the plate. Dose response curve for Anti-AXL Antibody, hFc Tag with the EC50 of 11.2 ng/mL determined by ELISA.

### **SDS-PAGE**

**Image 2.** Human AXL on Tris-Bis PAGE under reduced condition. The purity is greater than 95%.

# Size-exclusion chromatography-High Pressure Liquid Chromatography

**Image 3.** The purity of Human AXL is greater than 95 % as determined by SEC-HPLC.