
antibodies -online.com





BAFF Protein (Trimer) (His-Avi Tag)

2 Images



Overview


Quantity:	100 μg
Target:	BAFF (TNFSF13B)
Protein Characteristics:	Trimer
Origin:	Cynomolgus
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This BAFF protein is labelled with His-Avi Tag.

Product Details


Purpose:	Cynomolgus BAFF/TNFSF13B/CD257 Trimer Protein
Sequence:	Thr141-Leu285
Characteristics:	Recombinant Cynomolgus BAFF / TNFSF13B / CD257 Trimer Protein is expressed from HEK293 with His tag and Avi tag at the N-Terminus.It contains Thr141-Leu285.
Purity:	> 95 % as determined by Tris-Bis PAGE
Sterility:	0.22 µm filtered
Endotoxin Level:	Less than 1EU per μg by the LAL method.
Biological Activity Comment:	Immobilized Cynomolgus BAFF Trimer, His Tag at 1µg/ml (100µl/Well) on the plate. Dose response curve for Human BAFFR, hFc Tag with the EC50 of 0.53µg/ml determined by ELISA. See testing image for detail.

Target Details

rarget betails	
Target:	BAFF (TNFSF13B)
Alternative Name:	BAFF (TNFSF13B Products)
Background:	B-cell activating factor (BAFF) also known as tumor necrosis factor ligand superfamily member 13B is a protein that in humans is encoded by the TNFSF13B gene.BAFF is a cytokine that belongs to the tumor necrosis factor (TNF) ligand family. This cytokine is a ligand for receptors TNFRSF13B/TACI, TNFRSF17/BCMA, and TNFRSF13C/BAFF-R.
Molecular Weight:	54.2 kDa. Due to glycosylation, the protein migrates to 55-60 kDa based on Tris-Bis PAGE result.
UniProt:	A0A2K5V2X4
Pathways:	NF-kappaB Signaling, Production of Molecular Mediator of Immune Response
Application Details	
Restrictions:	For Research Use only
Handling	
Format:	Lyophilized
Reconstitution:	Centrifuge the tube before opening. Reconstituting to a concentration more than 100 μ g/mL is recommended. Dissolve the lyophilized protein in distilled water.
Buffer:	Lyophilized from 0.22µm filtered solution in PBS (pH 7.4). Normally 8 % trehalose is added as protectant before lyophilization.
Storage:	-20 °C,-80 °C
Storage Comment:	-20 to -80°C for 12 months as supplied from date of receipt.,-80°C for 3-6 months after reconstitution.,2-8°C for 2-7 days after reconstitution.,Recommend to aliquot the protein into smaller quantities for optimal storage. Please minimize freeze-thaw cycles.
Expiry Date:	12 months



Cynomolgus BAFF Trimer, His Tag ELISA 0.1µg Cynomolgus BAFF Trimer, His Tag Per Well



SDS-PAGE

 $\label{eq:limited} \textbf{Image 1.} \ \ \text{Cynomolgus BAFF Trimer on Tris-Bis PAGE under} \\ \text{reduced condition. The purity is greater than 95 \%} \ .$

ELISA

Image 2. Immobilized Cynomolgus BAFF Trimer, His Tag at 1 μ g/mL (100 μ L/Well) on the plate. Dose response curve for Human BAFFR, hFc Tag with the EC50 of 0.53 μ g/mL determined by ELISA.