antibodies -online.com







TNFRSF13C Protein (AA 7-71) (Fc Tag)





Overview

Quantity:	100 μg
Target:	TNFRSF13C
Protein Characteristics:	AA 7-71
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This TNFRSF13C protein is labelled with Fc Tag.

Product Details


Purpose:	Human BAFFR/TNFRSF13C Protein
Sequence:	Ser7-Ala71
Characteristics:	Recombinant Human BAFFR/TNFRSF13C Protein is expressed from HEK293 with hFc tag at the C-Terminus.It contains Ser7-Ala71.
Purity:	> 95 % as determined by Tris-Bis PAGE
Sterility:	0.22 μm filtered
Endotoxin Level:	Less than 1EU per µg by the LAL method.
Biological Activity Comment:	Immobilized Human BAFF Trimer, His Tag at 0.5µg/ml (100µl/well). Dose response curve for Human BAFFR, hFc Tag with the EC50 of 0.73µg/ml determined by ELISA. See testing image for detail.

Target Details

Expiry Date:


12 months

rarget Details	
Target:	TNFRSF13C
Alternative Name:	BAFFR (TNFRSF13C Products)
Background:	BAFF binds to three TNF receptor superfamily members: B-cell maturation antigen
	(BCMA/TNFRSF17), transmembrane activator and calcium-modulator and cyclophilin ligand
	interactor (TACI/TNFRSF13B) and BAFF receptor (BAFF R/BR3/TNFRSF13C). These receptors
	are type III transmembrane proteins that lack a signal peptide. Whereas TACI and BCMA bind
	BAFF and another TNF superfamily ligand, APRIL (a proliferation-inducing ligand), BAFF R
	selectively binds BAFF.
Molecular Weight:	33.3 kDa. Due to glycosylation, the protein migrates to 40-48 kDa based on Tris-Bis PAGE result.
Pathways:	NF-kappaB Signaling
Application Details	
Restrictions:	For Research Use only
Handling	
Format:	Lyophilized
Reconstitution:	Centrifuge the tube before opening. Reconstituting to a concentration more than 100 µg/mL is
	recommended. Dissolve the lyophilized protein in distilled water.
Buffer:	Lyophilized from 0.22µm filtered solution in PBS (pH 7.4). Normally 8 % trehalose is added as
	protectant before lyophilization.
Storage:	-20 °C,-80 °C
Storage Comment:	-20 to -80°C for 12 months as supplied from date of receipt., -80°C for 3-6 months after
	reconstitution., 2-8°C for 2-7 days after reconstitution., Recommend to aliquot the protein into
	smaller quantities for optimal storage. Please minimize freeze-thaw cycles.




SDS-PAGE

Image 1. Human BAFFR on Tris-Bis PAGE under reduced condition. The purity is greater than 95%.



Size-exclusion chromatography-High Pressure Liquid Chromatography

Image 2. The purity of Human BAFFR is greater than 95 % as determined by SEC-HPLC.



SDS-PAGE

 $\label{eq:mage 3.} \mbox{Human BAFFR on Tris-Bis PAGE under reduced} \\ \mbox{condition. The purity is greater than 95 \%} \, .$

Please check the product details page for more images. Overall 4 images are available for ABIN7273912.