.-online.com antibodies

Datasheet for ABIN7273928 TNFSF9 Protein (Trimer) (His tag)

3 Images



Overview


Quantity:	100 µg
Target:	TNFSF9
Protein Characteristics:	Trimer
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This TNFSF9 protein is labelled with His tag.

Product Details


Purpose:	Human 4-1BB Ligand/TNFSF9 Trimer Protein
Sequence:	Arg71-Glu254
Characteristics:	Recombinant Human 4-1BB Ligand/TNFSF9 Trimer Protein is expressed from HEK293 with His tag at the N-Terminus.It contains Arg71-Glu254.
Purity:	>95 % as determined by Tris-Bis PAGE,>95 % as determined by HPLC
Sterility:	0.22 µm filtered
Endotoxin Level:	Less than 1EU per μ g by the LAL method.
Biological Activity Comment:	Immobilized Human 4-1BB Ligand Trimer, His Tag at 1µg/ml (100µl/Well) on the plate. Dose response curve for Human 4-1BB, hFc Tag with the EC50 of 14.3ng/ml determined by ELISA. See testing image for detail.

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/3 | Product datasheet for ABIN7273928 | 01/18/2024 | Copyright antibodies-online. All rights reserved.

Target:	TNFSF9
Alternative Name:	4-1BB Ligand (TNFSF9 Products)
Background:	The 4-1BBL is the high affinity ligand of 4-1BB, also known as CD137L or TNFSF9. 4-1BB ligand (4-1BBL) is an inducible molecule present on several APC types, including B cells, macrophages and DCs.4-1BB:4-1BBL pathway seems to amplify the existing costimulatory signals, even if the engagement of 4-1BB in the presence of a strong TCR signaling can induce IL-2 production in a CD28-independent manner.
Molecular Weight:	61.8 kDa same as Tris-Bis PAGE result.
UniProt:	P41273
Pathways:	Activated T Cell Proliferation, Cancer Immune Checkpoints
Application Details	
Restrictions:	For Research Use only
Handling	
Format:	Lyophilized
Reconstitution:	Centrifuge the tube before opening. Reconstituting to a concentration more than 100 µg/mL is recommended. Dissolve the lyophilized protein in distilled water.
Buffer:	Lyophilized from 0.22µm filtered solution in PBS (pH 7.4). Normally 8 % trehalose is added as protectant before lyophilization.
Storage:	-20 °C,-80 °C
Storage Comment:	-20 to -80°C for 12 months as supplied from date of receipt., -80°C for 3-6 months after reconstitution., 2-8°C for 2-7 days after reconstitution., Recommend to aliquot the protein into smaller quantities for optimal storage. Please minimize freeze-thaw cycles.
Expiry Date:	12 months



Human 4-1BB Ligand Trimer, His Tag ELISA 0.1µg Human 4-1BB Ligand Trimer, His Tag Per Well



ELISA

SDS-PAGE

Image 3. Immobilized Human 4-1BB Ligand Trimer, His Tag at 1 μ g/mL (100 μ L/Well) on the plate. Dose response curve for Human 4-1BB, hFc Tag with the EC50 of 14.3 ng/mL determined by ELISA.

Size-exclusion chromatography-High Pressure Liquid Chromatography

Image 1. The purity of Human 4-1BB Ligand Trimer is greater than 95 % as determined by SEC-HPLC.

Image 2. Human 4-1BB Ligand Trimer on Tris-Bis PAGE

under reduced condition. The purity is greater than 95 % .

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 3/3 | Product datasheet for ABIN7273928 | 01/18/2024 | Copyright antibodies-online. All rights reserved.